Engineering Inc
780 Monterey
Ave., Ste. B
Morro Bay, CA
93442

Tel: 805.772.0150
Fax: 805.772.0813

ensitu@ensitu.com

APPENDIX A1

Revised Scenario Plans
Scenario One
Scenario Two
Scenario Three
Scenario Four

Project Engineer: John N Yaroslaski PE # 60149
DWG NAME: S:\Ensitu\Projects\563-01 Broad Beach Restoration Project\Engineering\Cad Design\563-01_BroadBeachRestorationProject-011a.dwg
CREATION TIME: Thursday, January 09, 2014 4:08:21 PM
MOD. TIME: Thursday, January 09, 2014 4:08:21 PM
PLOT TIME: Thursday, January 09, 2014 4:19:31 PM



SHEET
A1 OF A24

JOB NO.
563-01

DATE: 01-2014
DESIGNED BY: JNY
DRAWN BY: JNY
CHECKED BY: JNY

REGISTERED PROFESSIONAL ENGINEER
JOHN N YAROSLASKI
CIVIL
60149
EXP 06-2014

BROAD BEACH RESTORATION PROJECT
SCENARIO ONE – SHEET 01
MALIBU, CALIFORNIA

REVISIONS			
NO.		DATE	BY

ENSITU

ENSITU ENGINEERING, INC.
"Dedicated to achieving higher standards in onsite and decentralized wastewater systems."

760 MONTEREY AVE., STE. B
Morro Bay, CA 93442
Tel: 805.772.0150
Fax: 805.772.0813
ENSITU@ensitu.com

Project Engineer: John N Yaroslaski PE # 60149
DWG NAME: Ensitu Projects\563-01 Broad Beach Restoration Project\Engineering\Cad Design\563-01_BroadBeachRestorationProject-011a.dwg
CREATED: Thursday, January 09, 2014 4:08:21 PM
MOD. TIME: Thursday, January 09, 2014 4:08:21 PM
PLOT TIME: Thursday, January 09, 2014 4:19:56 PM

ENSITU

780 MONTEREY AVE., STE. B
Morro Bay, CA. 93442
Ph: 805.772.7145
Fax: 805.772.0813
ENSITU@ensitu.com

ENSITU ENGINEERING, INC.
"Dedicated to achieving higher standards in onsite and decentralized wastewater systems."

NO.	REVISIONS	DATE	BY

BROAD BEACH RESTORATION PROJECT
SCENARIO ONE - SHEET 02
MALIBU, CALIFORNIA

REGISTERED PROFESSIONAL ENGINEER
JOHN N. YAROSLASKI
60149
EXP 06-2014
CIVIL
STATE OF CALIFORNIA

DATE: 01-2014
DESIGNED BY: JNY
DRAWN BY: JNY
CHECKED BY: JNY

JOB NO.
563-01

SHEET
A2 OF A24



LEGEND

- SCENARIO ONE - EXISTING OSTS STRINGLINE
- SCENARIO ONE - 6' OSTS SETBACK TO PROTECTION DEVICE
- SCENARIO ONE - 15' SETBACK TO WAVE UP-RUSH LINE
- SCENARIO TWO - EXISTING OSTS STRINGLINE
- SCENARIO TWO - 6' OSTS SETBACK TO PROTECTION DEVICE
- SCENARIO TWO - 15' SETBACK TO WAVE UP-RUSH LINE
- SCENARIO THREE - MALIBU CODE OSTS STRINGLINE
- SCENARIO THREE - 6' OSTS SETBACK TO PROTECTION DEVICE
- SCENARIO THREE - 15' SETBACK TO WAVE UP-RUSH LINE
- SCENARIO FOUR - SCENARIO THREE "BEST-CASE" COMBINED STRINGLINE
- SETBACK LINES
- SCENARIO THREE - PROPOSED WASTEWATER TREATMENT TANK
- RESIDENCE AS SURVEYED
- SCENARIO ONE - APPROXIMATE LOCATION OF EXISTING SEPTIC EQUIPMENT
- SCENARIO TWO - ACTIVE LEACHFIELD AREA
- SCENARIO TWO - EXPANSION LEACHFIELD AREA
- SCENARIO THREE - ACTIVE AND FUTURE LEACHFIELD AREA
- SCENARIO FOUR - AREA WHERE SCENARIO THREE AND "BEST-CASE" DIFFER
- SCENARIO TWO - PROPOSED WASTEWATER TREATMENT TANK

ENSITU

ENSITU ENGINEERING, INC.
"Dedicated to achieving higher standards in onsite and decentralized wastewater systems."

790 MONTEREY AVE., STE. B
Morro Bay, CA 93442
Ph: 805.772.0165
Fax: 805.772.0813
ENSITU@easitu.com

REVISIONS

NO.	DATE	BY

BROAD BEACH RESTORATION PROJECT
SCENARIO ONE – SHEET 03
MALIBU, CALIFORNIA

REGISTERED PROFESSIONAL ENGINEER
JOHN N. YAROSLASKI
60149
EXP 06-2014
CIVIL
STATE OF CALIFORNIA

DATE: 01-2014
DESIGNED BY: JNY
DRAWN BY: JNY
CHECKED BY: JNY

JOB NO. 563-01

SHEET A3 OF A24

Project Engineer: John N Yaroslaski PE # 60149
DWG NAME: E:\ensitu\Projects\563-01 Broad Beach Restoration Project\Engineering\Cad Design\563-01_BroadBeachRestorationProject-01a.dwg
DWG LAST MODIFIED: Thursday, January 09, 2014 4:06:21 PM
MOD. TIME: Thursday, January 09, 2014 4:06:21 PM
PLOT TIME: Thursday, January 09, 2014 4:20:20 PM

Project Engineer: John N Yaroslaski PE # 60149
DWG NAME: S:\Ensitu\Projects\563-01 Broad Beach Restoration Project\Engineering\Cad Design\563-01_BroadBeachRestorationProject-011a.dwg
CREATION TIME: Thursday, January 09, 2014 4:08:21 PM
MOD. TIME: Thursday, January 09, 2014 4:08:21 PM
PLOT TIME: Thursday, January 09, 2014 4:20:40 PM



SHEET A4 OF A24

JOB NO. 563-01

DATE: 01-2014
DESIGNED BY: JNY
DRAWN BY: JNY
CHECKED BY: JNY

REGISTERED PROFESSIONAL ENGINEER
JOHN N YAROSLASKI
60149
EXP 06-2014
CIVIL

BROAD BEACH RESTORATION PROJECT
SCENARIO ONE – SHEET 04
MALIBU, CALIFORNIA

REVISIONS			
NO.		DATE	BY

ENSITU

ENSITU

ENSITU ENGINEERING, INC.
"Dedicated to achieving higher standards in onsite and decentralized wastewater systems."
780 MONTEREY AVE., STE. B
Morro Bay, CA 93442
Tel: 805.772.0150
Fax: 805.772.0813
ENSITU@ensitu.com



ENSITU

ENSITU ENGINEERING, INC.
"Dedicated to achieving higher standards in onsite and decentralized wastewater systems."

780 MONTEREY AVE., STE. B
Morro Bay, CA 93442
Tel: 805.772.1445
Fax: 805.772.0813
ENSITU@ensitu.com

REVISIONS

NO.	DATE	BY

BROAD BEACH RESTORATION PROJECT
SCENARIO ONE – SHEET 05
MALIBU, CALIFORNIA

REGISTERED PROFESSIONAL ENGINEER
JOHN N. YAROSLASKI
60149
EXP 06-2014
CIVIL
STATE OF CALIFORNIA

DATE: 01-2014
DESIGNED BY: JNY
DRAWN BY: JNY
CHECKED BY: JNY

JOB NO. 563-01

SHEET A5 OF A24

Project Engineer: John N Yaroslaski PE # 60149
Project NAME: S:\Ensitu\Projects\563-01_Broad Beach Restoration Project\Engineering\Cad Design\563-01_BroadBeachRestorationProject-011a.dwg
OPERATING SYSTEM: Windows 7 Ultimate 64-bit
MOD. TIME: Thursday, January 09, 2014 4:00:21 PM
PLOT TIME: Thursday, January 09, 2014 4:24:06 PM

LEGEND

- SCENARIO ONE - EXISTING OSTS STRINGLINE
- SCENARIO ONE - 6' OSTS SETBACK TO PROTECTION DEVICE
- SCENARIO ONE - 15' SETBACK TO WAVE UP-RUSH LINE
- SCENARIO TWO - EXISTING OSTS STRINGLINE
- SCENARIO TWO - 6' OSTS SETBACK TO PROTECTION DEVICE
- SCENARIO TWO - 15' SETBACK TO WAVE UP-RUSH LINE
- SCENARIO THREE - MALIBU CODE OSTS STRINGLINE
- SCENARIO THREE - 6' OSTS SETBACK TO PROTECTION DEVICE
- SCENARIO THREE - 15' SETBACK TO WAVE UP-RUSH LINE
- SCENARIO FOUR - SCENARIO THREE "BEST-CASE" COMBINED STRINGLINE
- SETBACK LINES
- SCENARIO THREE - PROPOSED WASTEWATER TREATMENT TANK
- RESIDENCE AS SURVEYED
- SCENARIO ONE - APPROXIMATE LOCATION OF EXISTING SEPTIC EQUIPMENT
- SCENARIO TWO - ACTIVE LEACHFIELD AREA
- SCENARIO TWO - EXPANSION LEACHFIELD AREA
- SCENARIO THREE - ACTIVE AND FUTURE LEACHFIELD AREA
- SCENARIO FOUR - AREA WHERE SCENARIO THREE AND "BEST-CASE" DIFFER
- SCENARIO TWO - PROPOSED WASTEWATER TREATMENT TANK

ENSITU

ENSITU ENGINEERING, INC.
"Dedicated to achieving higher standards in onsite and decentralized wastewater systems."

790 MONTEREY AVE., STE. B
Morro Bay, CA 93442
Tel: 805.772.1155
Fax: 805.772.0813
ENSITU@ensitu.com

REVISIONS

NO.	DATE	BY

BROAD BEACH RESTORATION PROJECT
SCENARIO ONE – SHEET 06
MALIBU, CALIFORNIA

REGISTERED PROFESSIONAL ENGINEER
JOHN N. YAROSLASKI
60149
EXP 06-2014
CIVIL
STATE OF CALIFORNIA

DATE: 01-2014
DESIGNED BY: JNY
DRAWN BY: JNY
CHECKED BY: JNY

JOB NO. 563-01

SHEET A6 OF A24

Project Engineer: John N Yaroslaski PE # 60149
Project NAME: Ensitu\Projects\563-01 Broad Beach Restoration Project\Engineering\Cad Design\563-01_BroadBeachRestorationProject-011x.dwg
CREATION TIME: Thursday, January 09, 2014 3:04:31 PM
MOD. TIME: Thursday, January 09, 2014 4:06:21 PM
PLOT TIME: Thursday, January 09, 2014 4:21:30 PM

Project Engineer: John N Yaroslaski PE # 60149
DWG NAME: S:\Ensitu\Projects\563-01 Broad Beach Restoration Project\Engineering\Cad Design\563-01_BroadBeachRestorationProject-011a.dwg
CREATION TIME: Thursday, January 09, 2014 4:08:21 PM
MOD. TIME: Thursday, January 09, 2014 4:08:21 PM
PLOT TIME: Thursday, January 09, 2014 4:21:50 PM

SHEET A7 OF 424

JOB NO. 563-01

DATE: 01-2014
DESIGNED BY: JNY
DRAWN BY: JNY
CHECKED BY: JNY

REGISTERED PROFESSIONAL ENGINEER JOHN N YAROSLASKI CIVIL 60149 EXP 06-2014

BROAD BEACH RESTORATION PROJECT
SCENARIO TWO – SHEET 01
MALIBU, CALIFORNIA

REVISIONS			
NO.		DATE	BY

ENSITU

ENSITU ENGINEERING, INC.
"Dedicated to achieving higher standards in onsite and decentralized wastewater systems."

760 MONTEREY AVE., STE. B
Morro Bay, CA 93442
Tel: 805.772.0150
Fax: 805.772.0813
ENSITU@ensitu.com


31336
31330
31324
31322
31316
31310
31302
31284
31280
31272
31260
31250
31240
31236
POOL
POOL
POOL

Project Engineer: John N Yaroslaski PE # 60149
DWG NAME: S:\Ensitu\Projects\563-01 Broad Beach Restoration Project\Engineering\Cad Design\563-01_BroadBeachRestorationProject-011a.dwg
CREATION TIME: Thursday, January 09, 2014 4:08:21 PM
MOD. TIME: Thursday, January 09, 2014 4:08:21 PM
PLOT TIME: Thursday, January 09, 2014 4:22:42 PM



BROAD BEACH RESTORATION PROJECT
SCENARIO TWO – SHEET 03
MALIBU, CALIFORNIA

REGISTERED PROFESSIONAL ENGINEER — JOHN N YAROSLASKI — CIVIL — 60149 — EXP 06-2014

REVISIONS			
NO.		DATE	BY

ENSITU

ENSITU ENGINEERING, INC.
"Dedicated to achieving higher standards in onsite and decentralized wastewater systems."

780 MONTEREY AVE., STE. B
Morro Bay, CA 93442
Tel: 805.772.0150
Fax: 805.772.0813
ENSITU@ensitu.com

DATE: 01-2014
DESIGNED BY: JNY
DRAWN BY: JNY
CHECKED BY: JNY

JOB NO. 563-01

SHEET A9 OF A24

Project Engineer: John N Yaroslaski PE # 60149
DWG NAME: S:\Ensitu\Projects\563-01 Broad Beach Restoration Project\Engineering\Cad Design\563-01_BroadBeachRestorationProject-011a.dwg
CREATION TIME: Thursday, January 09, 2014 4:08:21 PM
MOD. TIME: Thursday, January 09, 2014 4:08:21 PM
PLOT TIME: Thursday, January 09, 2014 4:23:06 PM



SHEET A10 OF 424

JOB NO. 563-01

DATE: 01-2014
DESIGNED BY: JNY
DRAWN BY: JNY
CHECKED BY: JNY

REGISTERED PROFESSIONAL ENGINEER
JOHN N YAROSLASKI
60149
EXP 06-2014
CIVIL
STATE OF CALIFORNIA

BROAD BEACH RESTORATION PROJECT
SCENARIO TWO – SHEET 04
MALIBU, CALIFORNIA

REVISIONS			
NO.		DATE	BY

ENSITU

ENSITU ENGINEERING, INC.
"Dedicated to achieving higher standards in onsite and decentralized wastewater systems."

780 MONTEREY AVE., STE. B
Morro Bay, CA 93442
Tel: 805.772.0150
Fax: 805.772.0813
ENSITU@ensitu.com

30948
30944
30940
30936
30930
30928
30924
30918
30916
30908
30904
30900
30874
30870
30866
30860
30846
30842
30838
30830
30826

POOL

LEGEND

- SCENARIO ONE - EXISTING OSTS STRINGLINE
- SCENARIO ONE - 6' OSTS SETBACK TO PROTECTION DEVICE
- SCENARIO ONE - 15' SETBACK TO WAVE UP-RUSH LINE
- SCENARIO TWO - EXISTING OSTS STRINGLINE
- SCENARIO TWO - 6' OSTS SETBACK TO PROTECTION DEVICE
- SCENARIO TWO - 15' SETBACK TO WAVE UP-RUSH LINE
- SCENARIO THREE - MALIBU CODE OSTS STRINGLINE
- SCENARIO THREE - 6' OSTS SETBACK TO PROTECTION DEVICE
- SCENARIO THREE - 15' SETBACK TO WAVE UP-RUSH LINE
- SCENARIO FOUR - SCENARIO THREE "BEST-CASE" COMBINED STRINGLINE
- SETBACK LINES
- SCENARIO THREE - PROPOSED WASTEWATER TREATMENT TANK
- RESIDENCE AS SURVEYED
- SCENARIO ONE - APPROXIMATE LOCATION OF EXISTING SEPTIC EQUIPMENT
- SCENARIO TWO - ACTIVE LEACHFIELD AREA
- SCENARIO TWO - EXPANSION LEACHFIELD AREA
- SCENARIO THREE - ACTIVE AND FUTURE LEACHFIELD AREA
- SCENARIO FOUR - AREA WHERE SCENARIO THREE AND "BEST-CASE" DIFFER
- SCENARIO TWO - PROPOSED WASTEWATER TREATMENT TANK

ENSITU

ENSITU ENGINEERING, INC.
"Dedicated to achieving higher standards in onsite and decentralized wastewater systems."

780 MONTEREY AVE., STE. B
Morro Bay, CA 93442
Tel: 805.772.1145
Fax: 805.772.0813
ENSITU@easitu.com

NO.	REVISIONS	DATE	BY

BROAD BEACH RESTORATION PROJECT

SCENARIO TWO - SHEET 05

MALIBU, CALIFORNIA

REGISTERED PROFESSIONAL ENGINEER
JOHN N. YAROSLASKI
60149
EXP 06-2014
CIVIL
STATE OF CALIFORNIA

DATE: 01-2014
DESIGNED BY: JNY
DRAWN BY: JNY
CHECKED BY: JNY

JOB NO. 563-01

SHEET A11 OF A24

Project Engineer: John N Yaroslaski PE # 60149
Project NAME: J:\Ensitu\Projects\563-01_Broad Beach Restoration Project\Engineering\Cad Design\563-01_BroadBeachRestorationProject-011a.dwg
OPERATING SYSTEM: Windows 7 Ultimate 64-bit
MOD. TIME: Thursday, January 09, 2014 4:08:31 PM
PLOT TIME: Thursday, January 09, 2014 4:28:50 PM



LEGEND

- SCENARIO ONE - EXISTING OSTS STRINGLINE
- SCENARIO ONE - 6' OSTS SETBACK TO PROTECTION DEVICE
- SCENARIO ONE - 15' SETBACK TO WAVE UP-RUSH LINE
- SCENARIO TWO - EXISTING OSTS STRINGLINE
- SCENARIO TWO - 6' OSTS SETBACK TO PROTECTION DEVICE
- SCENARIO TWO - 15' SETBACK TO WAVE UP-RUSH LINE
- SCENARIO THREE - MALIBU CODE OSTS STRINGLINE
- SCENARIO THREE - 6' OSTS SETBACK TO PROTECTION DEVICE
- SCENARIO THREE - 15' SETBACK TO WAVE UP-RUSH LINE
- SCENARIO FOUR - SCENARIO THREE "BEST-CASE" COMBINED STRINGLINE
- SETBACK LINES
- SCENARIO THREE - PROPOSED WASTEWATER TREATMENT TANK
- RESIDENCE AS SURVEYED
- SCENARIO ONE - APPROXIMATE LOCATION OF EXISTING SEPTIC EQUIPMENT
- SCENARIO TWO - ACTIVE LEACHFIELD AREA
- SCENARIO TWO - EXPANSION LEACHFIELD AREA
- SCENARIO THREE - ACTIVE AND FUTURE LEACHFIELD AREA
- SCENARIO FOUR - AREA WHERE SCENARIO THREE AND "BEST-CASE" DIFFER
- SCENARIO TWO - PROPOSED WASTEWATER TREATMENT TANK

ENSITU

ENSITU ENGINEERING, INC.
"Dedicated to achieving higher standards in onsite and decentralized wastewater systems."

780 MONTEREY AVE., STE. B
Morro Bay, CA 93442
Tel: 805.772.1145
Fax: 805.772.0813
ENSITU@easitu.com

REVISIONS

NO.	DATE	BY

BROAD BEACH RESTORATION PROJECT

SCENARIO TWO - SHEET 06

MALIBU, CALIFORNIA

REGISTERED PROFESSIONAL ENGINEER
JOHN N. YAROSLASKI
60149
EXP 06-2014
CIVIL
STATE OF CALIFORNIA

DATE: 01-2014
DESIGNED BY: JNY
DRAWN BY: JNY
CHECKED BY: JNY

JOB NO. 563-01

SHEET A12 OF A24

Project Engineer: John N Yaroslaski PE # 60149
Project NAME: S:\Ensitu\Projects\563-01 Broad Beach Restoration Project\Engineering\Cad Design\563-01_BroadBeachRestorationProject-011a.dwg
OPERATING SYSTEM: Windows 7 Ultimate 64 bit
MOD. TIME: Thursday, January 09, 2014 4:08:21 PM
PLOT TIME: Thursday, January 09, 2014 4:23:50 PM