

FIELD OPERATIONS AND COMPLIANCE REPORT

EL SEGUNDO SEISMIC REFLECTION SURVEY

GEOSYNTEC CONSULTANTS OFFSHORE EL SEGUNDO, CALIFORNIA

Survey Period: September 3, 2015
Report Number: 23.00007142_CSLC R0

Prepared for: California State Lands Commission
100 Howe Ave. Suite 100-South
Sacramento, CA 95825-8202

Client Reference: 23.00007142

0	Draft	BV	CP	CP	9/29/2015
Rev	Description	Prepared	Checked	Approved	Date

CONTENTS

	Page
I. SURVEY INFORMATION	1
1. DESCRIPTION OF THE WORK PERFORMED	1
2. DATA COLLECTION DATES, TIMES, WEATHER AND SEA STATE DURING OPERATIONS	1
3. CHART OF SURVEY AREA	1
4. SPATIAL INFORMATION RELATED TO SURVEY TRACKLINES	1
5. NATURE AND LOCATION OF ENVIRONMENTAL HAZARDS ENCOUNTERED	1
6. ACCIDENT, INJURY, DAMAGE TO OR LOSS OF PROPERTY	1
7. OTHER INFORMATION RELATIVE TO THE PERMITTED ACTIVITITES	1
II. BIOLOGICAL INFORMATION	2

I. SURVEY INFORMATION

1. DESCRIPTION OF THE WORK PERFORMED

On September 3, 2015, Fugro Pelagos, Inc. (Fugro) acquired a sub-bottom profile and multichannel CDP seismic survey to determine the presence and extent of previously identified clay beds in the shallow subsurface, and investigate deeper geologic features to a sub-seabed depth of at least 200 feet, offshore El Segundo Beach.

Data were acquired along three (3) lines offset between 1200-1400 feet apart, oriented perpendicular to the shoreline and extending from the offshore limits to as near shore as safely possible. Additionally two (2) lines spaced 930 feet apart were run parallel to the shoreline with first line being approximately 1500 feet from the shoreline.

2. DATA COLLECTION DATES, TIMES, WEATHER AND SEA STATE DURING OPERATIONS

Daily progress reports (DPRs) were generated for each survey day which included daily events, Quality, Health, Safety, & Environmental (QHSE) summary, weather conditions, hours worked, and any Health, Safety & Environmental (HSE) incidents if incurred. Below is a table describing survey dates and weather conditions, as recorded in the DPRs.

Date	Start Time	End Time	Weather
9/3/2015	7:00 am	3:30 pm	Winds 0-15KT Seas 2-3FT

3. CHART OF SURVEY AREA

A chart of the survey tracklines is included at the end of this report.

4. SPATIAL INFORMATION RELATED TO SURVEY TRACKLINES

Accompanying this report is the digital ArcGIS shapefiles depicting the survey tracklines.

5. NATURE AND LOCATION OF ENVIRONMENTAL HAZARDS ENCOUNTERED

No environmental hazards were encountered during survey operations.

6. ACCIDENT, INJURY, DAMAGE TO OR LOSS OF PROPERTY

No accidents or injuries occurred during the operations of the project, and no damages or loss of property was reported.

7. OTHER INFORMATION RELATIVE TO THE PERMITTED ACTIVITIES

No other information related to the permitted activities are reported.

II. BIOLOGICAL INFORMATION

The survey area was within California State Lands Commission (CSLC) jurisdiction, and while one marine mammal observer was onboard, the vessel captain was briefed on the marine wildlife that could occur in the project area and was utilized as a secondary MWO to ensure complete coverage of the transit path and survey equipment safety zone.. A copy of the final Marine Wildlife Monitoring Report can be found in Appendix A. In accordance with CSLC regulations, a completed copy of Exhibit H taken from Fugro Geophysical Permit PRC 8391.9 has been completed with acknowledgements and included in Appendix B.

APPENDICES

- A MARINE WILDLIFE MONITORING REPORT**
- B CSLC MITIGATION MONITORING PROGRAM EXHIBIT H**
- C SURVEY TRACKPLOT**



A MARINE WILDLIFE MONITORING REPORT

September 15, 2015
Project No. 1502-3781

Fugro Pelagos, Inc.
4820 McGrath Street, Suite 100
Ventura, CA 93003-7778

Attention: Ms. Cindy Pratt

Subject: Marine Wildlife Monitoring Report: Fugro Pelagos, Inc., Bathymetric and Sub-Bottom Profiling Survey Offshore of El Segundo, California.

Dear Ms. Pratt:

In accordance with the procedures outlined in the California State Lands Commission (CSLC)-issued Geophysical and Geologic Sampling Permit No. 8391.9, Padre Associates, Inc. (Padre) has prepared this report for the Fugro Pelagos, Inc., (Fugro) to address monitoring activities during bathymetric and sub-bottom profiling survey, offshore of El Segundo, California (Figure 1). This report summarizes observations made by Padre's onboard marine wildlife observer during the vessel transit to and from the survey area (Figure 1), and during bathymetric and sub-bottom profiling survey activities conducted on September 3, 2015.

Survey Methods and Equipment

The survey utilized a single beam bathymetry and sub-bottom profiling system to document the seafloor conditions within the survey area. The survey was completed in one day onboard Theory Marine's survey vessel (SV) *Theory*, an 11.2 meter (m) (37 foot [ft]) vessel designed specifically for hydrographic surveying. The survey was conducted within State Waters from water depths of approximately 1.8 m (6 ft) to 15 m (50 ft).

Marine Wildlife Monitoring Methodology

Transit Periods. The survey vessel transited between Marina del Rey Harbor and the survey area. During vessel transit, the National Marine Fisheries Service (NMFS)-approved marine wildlife observer (MWO) was located in the wheelhouse and recorded observations of marine mammals and reptiles (marine wildlife) within an approximately 200 degree arc, centered on the direction of vessel travel.

All vessel transit was completed during daylight hours. Marine wildlife observed while the vessel was transiting were noted on the observer's reporting form (see Attachment: Daily Log) and the vessel operator was informed if marine wildlife was observed in the vessel path and if a collision with the marine wildlife was imminent.




Figure 1. Survey Area

Survey Periods. Once onsite and throughout the operational survey period, the MWO continually observed the area surrounding the location of the single beam and sub-bottom profiler from the stern or within the wheelhouse of the vessel during survey related activities. In addition, the vessel captain was briefed on the marine wildlife that could occur in the project area and was utilized as a secondary MWO to ensure complete coverage of the transit path and survey equipment safety zone.

The observer utilized 7 X 50 reticular binoculars to observe any approaching marine wildlife within the area surrounding the survey equipment. If marine wildlife were observed approaching the vessel or survey equipment, the vessel operator and survey crew were informed and warned of possible alteration or termination of survey activities. Marine wildlife and any action that was required were noted on the observer's reporting form (see Attachment: Daily Log).

Fishing Gear Clearance. A fishing gear clearance was conducted prior to the initiation of survey activities within the survey corridor; the MWO observed and noted if any commercial fishing gear was within the Project area.

Results

Throughout the survey period, a total of 5 hours (hrs) and 15 minutes (mins) of marine wildlife observations were completed. The vessel was in transit for a total of 45 mins, and no marine mammals were observed during the transit period. No negative interaction occurred during vessel transit and no actions were requested from the MWO

The survey operator used a "soft start" technique at the beginning of survey activities to allow any marine mammal that may be in the project area to leave before the sound sources reach full energy. A total of 4 hrs and 30 mins of survey observations were completed and no marine mammals were observed during survey activities.

Prior to initiating bathymetric and geophysical data collection, a fishing gear clearance was completed. A fishing buoy was observed within the survey area. The location and water depth were recorded, the fishing buoy number was not recorded due to fowling on the buoy. The fishing buoy was avoided and no active fishing gear was disturbed during the project activities.

See Attachment: Daily Log for observer notes during survey activities.

Conclusions

A total of 5 hrs and 15 mins of marine wildlife monitoring was completed during the performance of the survey. There were no occasions where it was necessary for the MWO to request implementation of avoidance measures.

Project activities were never delayed or altered due to encroachment by marine wildlife, and no negative effects to marine wildlife were observed. Based on the observations of Padre's MWOs, and the cooperative efforts of the Fugro Project team and vessel crew, no negative survey activity or transit-related effects to the marine wildlife were observed during either of the specified Phases.

If you should have any questions regarding this report, please contact me at (805) 786-2650, ext. 30, or by email at jklaib@padreinc.com.

Sincerely,

PADRE ASSOCIATES, INC.



Jennifer Klaib
Marine Biologist

Attachment: Daily Log

cc: S. Poulter (Padre, Goleta)

Daily Log

To: Fugro Pelagos, Inc.
Attn: Cynthia Pratt

From: Jennifer Klaib

Date: September 3, 2015

Subject: Marine Mammal Monitoring for Bathymetric and Sub-Bottom Profiling Survey Offshore of El Segundo, California.

Time	Activity
0915	Departed Marina del Rey Harbor
0930	Arrived at survey site. Weather: Partly cloudy, wind 0-5 knots (kts), swell 1-3 feet (ft)
0931	Started fishing gear clearance
0940	Completed fishing gear clearance. Found one fishing gear buoy in project area. Buoy is heavily fouled and has been noted on previous surveys in same area. Buoy marked and noted by survey team and will be avoided by survey equipment.
0941	Starting marine mammal clearance
0950	Deploying single beam
0955	Turning equipment on. No marine mammals in safety zone
1200	End of single beam survey. Recovering equipment
1201	Starting marine mammal clearance for Chirp survey
1210	Weather: Sunny, clear, wind 5-10 kts, swell 1-3ft
1225	Starting Chirp ramp-up procedures. No marine mammals in the safety zone.
1245	Completed ramp-up procedures. Equipment at full power. No marine mammals in the safety zone.
1320	All equipment off.
1330	Starting Chirp ramp-up procedures. No marine mammals in the safety zone.
1340	Completed ramp-up procedures. Equipment at full power. No marine mammals in the safety zone.
1500	All equipment off.
1501	Start transit to Marina del Rey Harbor
1526	Arrived at Marina del Rey Harbor

B CSLC MITIGATION MONITORING PROGRAM EXHIBIT H

EXHIBIT H

Mitigation Monitoring Program

Mitigation Measure (MM)	Location and Scope of Mitigation	Effectiveness Criteria	Monitoring or Reporting Action	Responsible Party	Timing	Implementation Date(s) and Initials
Air Quality and Greenhouse Gas (GHG) Emissions (MND Section 3.3.3)						
MM AIR-1: Engine Tuning, Engine Certification, and Fuels. The following measures will be required to be implemented by all Permittees under the Offshore Geophysical Permit Program (OGPP), as applicable depending on the county offshore which a survey is being conducted. Pursuant to section 93118.5 of CARB's Airborne Toxic Control Measures, the Tier 2 engine requirement applies only to diesel-fueled vessels.	All Counties: Maintain all construction equipment in proper tune according to manufacturers' specifications; fuel all off-road and portable diesel-powered equipment with California Air Resources Board (CARB)-certified motor vehicle diesel fuel limiting sulfur content to 15 parts per million or less (CARB Diesel).	Daily emissions of criteria pollutants during survey activities are minimized.	Determine engine certification of vessel engines.	OGPP permit holder and contract vessel operator; California State Lands Commission (CSLC) review of Final Monitoring Report.	Prior to, during, and after survey activities. Submit Final Monitoring Report after completion of survey activities.	8/12/15 CSL
	Los Angeles and Orange Counties: Use vessel engines meeting CARB's Tier 2-certified engines or cleaner; the survey shall be operated such that daily NO _x emissions do not exceed 100 pounds based on engine certification emission factors. This can be accomplished with Tier 2 engines if daily fuel use is 585 gallons or less, and with Tier 3 engines if daily fuel use is 935 gallons or less.		Review engine emissions data to assess compliance, determine if changes in tuning or fuel are required.			8/12/15 CSL
	San Luis Obispo County: Use vessel engines meeting CARB's Tier 2-certified engines or cleaner, accomplished with Tier 2 engines if daily fuel use is 585 gallons or less; all diesel equipment shall not idle for more than 5 minutes; engine use needed to maintain position in the water is not considered idling; diesel idling within 300 meters (1,000 feet) of sensitive receptors is not permitted; use alternatively fueled construction equipment on site where feasible, such as compressed natural gas, liquefied natural gas, propane or biodiesel.		Verify that Tier 2 or cleaner engines are being used.			
	Santa Barbara County: Use vessel engines meeting CARB's Tier 2-certified engines or cleaner, accomplished with Tier 2 engines if daily fuel use is 790 gallons or less.		Calculate daily NO _x emissions to verify compliance with limitations.			
	Santa Barbara County: Use vessel engines meeting CARB's Tier 2-certified engines or cleaner, accomplished with Tier 2 engines if daily fuel use is 790 gallons or less.		Verify that Tier 2 or cleaner engines are being used.			
	Ventura County: Use alternatively fueled construction equipment on site where feasible, such as compressed natural gas, liquefied natural gas, propane or biodiesel.		Inform vessel operator(s) of idling limitation.			
			Investigate availability of alternative fuels.			
			Investigate availability of alternative fuels.			
			Investigate availability of alternative fuels.			

EXHIBIT H

Mitigation Monitoring Program

Mitigation Measure (MM)	Location and Scope of Mitigation	Effectiveness Criteria	Monitoring or Reporting Action	Responsible Party	Timing	Implementation Date(s) and Initials
MM BIO-1: Marine Mammal and Sea Turtle Presence – Current Information.	All State waters; prior to commencement of survey operations, the geophysical operator shall: (1) contact the National Oceanic and Atmospheric Administration Long Beach office staff and local whale-watching operations and shall acquire information on the current composition and relative abundance of marine wildlife offshore, and (2) convey sightings data to the vessel operator and crew, survey party chief, and onboard Marine Wildlife Monitors (MWMs) prior to departure. This information will aid the MWMs by providing data on the approximate number and types of organisms that may be in the area.	No adverse effects to marine mammals or sea turtles due to survey activities are observed.	Document contact with appropriate sources. Submit Final Monitoring Report after completion of survey activities.	OGPP permit holder; Inquiry to NOAA and local whale watching operators.	Prior to survey.	8/31/15 9/3/15 JK
MM BIO-2: Marine Wildlife Monitors (MWMs).	Except as provided in section 7(h) of the General Permit, a minimum of two (2) qualified MWMs who are experienced in marine wildlife observations shall be onboard the survey vessel throughout both transit and data collection activities. The specific monitoring, observation, and data collection responsibilities shall be identified in the Marine Wildlife Contingency Plan required as part of all Offshore Geophysical Permit Program permits. Qualifications of proposed MWMs shall be submitted to the National Oceanic and Atmospheric Administration (NOAA) and CSLC at least twenty-one (21) days in advance of the survey for their approval by the agencies. Survey operations shall not commence until the CSLC approves the MWMs.	Competent and professional monitoring or marine mammals and sea turtles; compliance with established monitoring policies.	Document contact with and approval by appropriate agencies. Submit Final Monitoring Report after completion of survey activities.	OGPP permit holder.	Prior to survey.	9/3/15 JK
MM BIO-3: Safety Zone Monitoring.	Onboard Marine Wildlife Monitors (MWMs) responsible for observations during vessel transit shall be responsible for monitoring during the survey equipment operations. All visual monitoring shall occur from the highest practical vantage point aboard the survey vessel; binoculars shall be used to observe the surrounding area, as appropriate. The MWMs will survey an area (i.e., safety or exclusion zone) based on the equipment used, centered on the sound source (i.e., vessel, towfish), throughout time that the survey equipment is operating. Safety zone radial distances, by equipment type, include:	No adverse effects to marine mammals or sea turtles due to survey activities are observed; compliance with established safety zones.	Compliance with permit requirements (observers); compliance with established safety zones. Submit Final Monitoring Report after completion of survey activities.	OGPP permit holder.	Prior to survey.	9/3/15 JK

Updated: 04/23/2014

EXHIBIT H

Mitigation Monitoring Program

Mitigation Measure (MM)	Location and Scope of Mitigation	Effectiveness Criteria	Monitoring or Reporting Action	Responsible Party	Timing	Implementation Date(s) and Initials												
	<table><tr><th>Equipment Type</th><th>Safety Zone (radius, m)</th></tr><tr><td>Single Beam Echosounder</td><td>50</td></tr><tr><td>Multibeam Echosounder</td><td>500</td></tr><tr><td>Side-Scan Sonar</td><td>600</td></tr><tr><td>Subbottom Profiler</td><td>100</td></tr><tr><td>Boomer System</td><td>100</td></tr></table> <p>If the geophysical survey equipment is operated at or above a frequency of 200 kilohertz (kHz), safety zone monitoring and enforcement is not required; however, if geophysical survey equipment operated at a frequency at or above 200 kHz is used simultaneously with geophysical survey equipment less than 200 kHz, then the safety zone for the equipment less than 200 kHz must be monitored. The onboard MWMs shall have authority to stop operations if a mammal or turtle is observed within the specified safety zone and may be negatively affected by survey activities. The MWMs shall also have authority to recommend continuation (or cessation) of operations during periods of limited visibility (i.e., fog, rain) based on the observed abundance of marine wildlife. Periodic reevaluation of weather conditions and reassessment of the continuation/cessation recommendation shall be completed by the onboard MWMs. During operations, if an animal's actions are observed to be irregular, the monitor shall have authority to recommend that equipment be shut down until the animal moves further away from the sound source. If irregular behavior is observed, the equipment shall be shut-off and will be restarted and ramped-up to full power, as applicable, or will not be started until the animal(s) is/are outside of the safety zone or have not been observed for 15 minutes.</p> <p>For nearshore survey operations utilizing vessels that lack the personnel capacity to hold two (2) MWMs aboard during survey operations, at least twenty-one (21) days prior to the commencement of survey activities, the Permittee may petition the CSLC to conduct survey operations with one (1) MWM aboard. The CSLC will consider such authorization on a case-by-case basis and</p>	Equipment Type	Safety Zone (radius, m)	Single Beam Echosounder	50	Multibeam Echosounder	500	Side-Scan Sonar	600	Subbottom Profiler	100	Boomer System	100					
Equipment Type	Safety Zone (radius, m)																	
Single Beam Echosounder	50																	
Multibeam Echosounder	500																	
Side-Scan Sonar	600																	
Subbottom Profiler	100																	
Boomer System	100																	

Updated: 04/23/2014

EXHIBIT H

Mitigation Monitoring Program

Mitigation Measure (MM)	Location and Scope of Mitigation	Effectiveness Criteria	Monitoring or Reporting Action	Responsible Party	Timing	Implementation Date(s) and Initials
	factors the CSLC will consider will include the timing, type, and location of the survey, the size of the vessel, and the availability of alternate vessels for conducting the proposed survey. CSLC authorizations under this subsection will be limited to individual surveys and under any such authorization; the Permittee shall update the MWCP to reflect how survey operations will occur under the authorization.					
MM BIO-4: Limits on Nighttime OGPP Surveys.	All State waters; nighttime survey operations are prohibited under the OGPP, except as provided below. The CSLC will consider the use of single beam echosounders and passive equipment types at night on a case-by-case basis, taking into consideration the equipment specifications, location, timing, and duration of survey activity.	No adverse effects to marine mammals or sea turtles due to survey activities are observed.	Presurvey request for nighttime operations, including equipment specifications and proposed use schedule Document equipment use. Submit Final Monitoring Report after completion of survey activities.	OGPP permit holder.	Approval required before survey is initiated. Monitoring Report following completion of survey.	9/3/15 J/K
MM BIO-5: Soft Start.	All State waters; the survey operator shall use a "soft start" technique at the beginning of survey activities each day (or following a shut down) to allow any marine mammal that may be in the immediate area to leave before the sound sources reach full energy. Surveys shall not commence at nighttime or when the safety zone cannot be effectively monitored. Operators shall initiate each piece of equipment at the lowest practical sound level, increasing output in such a manner as to increase in steps not exceeding approximately 6 decibels (dB) per 5-minute period. During ramp-up, the Marine Wildlife Monitors (MWMs) shall monitor the safety zone. If marine mammals are sighted within or about to enter the safety zone, a power-down or shut down shall be implemented as though the equipment was operating at full power. Initiation of ramp-up procedures from shut down requires that the MWMs be able to visually observe the full safety zone.	No adverse effects to marine mammals or sea turtles due to survey activities are observed.	Compliance with permit requirements (observers); compliance with safe start procedures. Submit Final Monitoring Report after completion of survey activities.	OGPP permit holder.	Immediately prior to survey.	9/3/15 J/K

EXHIBIT H

Mitigation Monitoring Program

Mitigation Measure (MM)	Location and Scope of Mitigation	Effectiveness Criteria	Monitoring or Reporting Action	Responsible Party	Timing	Implementation Date(s) and Initials
MM BIO-6: Practical Limitations on Equipment Use and Adherence to Equipment Manufacturer's Routine Maintenance Schedule.	<p>All State waters; geophysical operators shall follow, to the maximum extent possible, the guidelines of Zykov (2013) as they pertain to the use of subbottom profilers and side-scan sonar, including:</p> <ul style="list-style-type: none"> Using the highest frequency band possible for the subbottom profiler; Using the shortest possible pulse length; and Lowering the pulse rate (pings per second) as much as feasible. <p>Geophysical operators shall consider the potential applicability of these measures to other equipment types (e.g., boomer). Permit holders will conduct routine inspection and maintenance of acoustic-generating equipment to ensure that low energy geophysical equipment used during permitted survey activities remains in proper working order and within manufacturer's equipment specifications. Verification of the date and occurrence of such equipment inspection and maintenance shall be provided in the required presurvey notification to CSLC.</p>	No adverse effects to marine mammals or sea turtles due to survey activities are observed.	<p>Document initial and during survey equipment settings.</p> <p>Submit Final Monitoring Report after completion of survey activities.</p>	OGPP permit holder.	Immediately prior to and during survey.	
MM BIO-7: Avoidance of Pinniped Haul-Out Sites.	<p>The Marine Wildlife Contingency Plan (MWCP) developed and implemented for each survey shall include identification of haul-out sites within or immediately adjacent to the proposed survey area. For surveys within 300 meters (m) of a haul-out site, the MWCP shall further require that:</p> <ul style="list-style-type: none"> The survey vessel shall not approach within 91 m of a haul-out site, consistent with National Marine Fisheries Service (NMFS) guidelines; Survey activity close to haul-out sites shall be conducted in an expedited manner to minimize the potential for disturbance of pinnipeds on land; and Marine Wildlife Monitors shall monitor pinniped activity onshore as the vessel approaches, observing and reporting on the number of pinnipeds potentially disturbed (e.g., via head lifting, flushing into the water). The purpose of such reporting is to provide CSLC and California Department of Fish and Wildlife (CDFW) with information regarding potential disturbance associated with OGPP surveys. 	No adverse effects to pinnipeds at haul outs are observed.	<p>Document pinniped reactions to vessel presence and equipment use.</p> <p>Submit Final Monitoring Report after completion of survey activities.</p>	OGPP permit holder.	Monitoring Report following completion of survey.	8/12/15 JK

EXHIBIT H

Mitigation Monitoring Program

Mitigation Measure (MM)	Location and Scope of Mitigation	Effectiveness Criteria	Monitoring or Reporting Action	Responsible Party	Timing	Implementation Date(s) and Initials
MM BIO-8: Reporting Requirements – Collision.	<p>All State waters; if a collision with marine mammal or reptile occurs, the vessel operator shall document the conditions under which the accident occurred, including the following:</p> <ul style="list-style-type: none"> • Vessel location (latitude, longitude) when the collision occurred; • Date and time of collision; • Speed and heading of the vessel at the time of collision; • Observation conditions (e.g., wind speed and direction, swell height, visibility in miles or kilometers, and presence of rain or fog) at the time of collision; • Species of marine wildlife contacted (if known); • Whether an observer was monitoring marine wildlife at the time of collision; and, • Name of vessel, vessel owner/operator, and captain officer in charge of the vessel at time of collision. <p>After a collision, the vessel shall stop, if safe to do so; however, the vessel is not obligated to stand by and may proceed after confirming that it will not further damage the animal by doing so. The vessel will then immediately communicate by radio or telephone all details to the vessel's base of operations, and shall immediately report the incident. Consistent with Marine Mammal Protection Act requirements, the vessel's base of operations or, if an onboard telephone is available, the vessel captain him/herself, will then immediately call the National Oceanic and Atmospheric Administration (NOAA) Stranding Coordinator to report the collision and follow any subsequent instructions. From the report, the Stranding Coordinator will coordinate subsequent action, including enlisting the aid of marine mammal rescue organizations, if appropriate. From the vessel's base of operations, a telephone call will be placed to the Stranding Coordinator, NOAA National Marine Fisheries Service (NMFS), Southwest Region, Long Beach, to obtain instructions. Although NOAA has primary responsibility for marine mammals in both State and Federal waters, the California Department of Fish and Wildlife (CDFW) will also be advised that an incident has occurred in State waters affecting a protected species.</p>	No adverse effects to marine mammals or sea turtles due to survey activities are observed.	Submit Final Monitoring Report after completion of survey activities.	OGPP permit holder.	Monitoring Report following completion of survey.	9/3/15 JK

Updated: 04/23/2014

EXHIBIT H

Mitigation Monitoring Program

Mitigation Measure (MM)	Location and Scope of Mitigation	Effectiveness Criteria	Monitoring or Reporting Action	Responsible Party	Timing	Implementation Date(s) and Initials
MM BIO-9: Limitations on Survey Operations in Select Marine Protected Areas (MPAs).	All MPAs; prior to commencing survey activities, geophysical operators shall coordinate with the CLSC, California Department of Fish and Wildlife (CDFW), and any other appropriate permitting agency regarding proposed operations within MPAs. The scope and purpose of each survey proposed within a MPA shall be defined by the permit holder, and the applicability of the survey to the allowable MPA activities shall be delineated by the permit holder. If deemed necessary by CDFW, geophysical operators will pursue a scientific collecting permit, or other appropriate authorization, to secure approval to work within a MPA, and shall provide a copy of such authorization to the CSLC as part of the required presurvey notification to CSLC. CSLC, CDFW, and/or other permitting agencies may impose further restrictions on survey activities as conditions of approval.	No adverse effects to MPA resources due to survey activities are observed.	Monitor reactions of wildlife to survey operations; report on shutdown conditions and survey restart. Submit Final Monitoring Report after completion of survey activities.	OGPP permit holder; survey permitted by CDFW.	Prior to survey.	N/A
MM HAZ-1: Oil Spill Contingency Plan (OSCP) Required Information.	Permittees shall develop and submit to CSLC staff for review and approval an OSCP that addresses accidental releases of petroleum and/or non-petroleum products during survey operations. Permittees' OSCP's shall include the following information for each vessel to be involved with the survey: <ul style="list-style-type: none"> Specific steps to be taken in the event of a spill, including notification names, phone numbers, and locations of: (1) nearby emergency medical facilities, and (2) wildlife rescue/response organizations (e.g., Oiled Wildlife Care Network); Description of crew training and equipment testing procedures; and Description, quantities, and location of spill response equipment onboard the vessel. 	Reduction in the potential for an accidental spill. Proper and timely response and notification of responsible parties in the event of a spill.	Documentation of proper spill training. Notification of responsible parties in the event of a spill.	OGPP permit holder and contract vessel operator.	Prior to survey.	8/12/15 CLP
MM HAZ-2: Vessel fueling restrictions.	Vessel fueling shall only occur at an approved docking facility. No cross vessel fueling shall be allowed.	Reduction in the potential for an accidental spill.	Documentation of fueling activities.	Contract vessel operator.	Following survey.	8/12/15 CLP
MM HAZ-3: OSCP equipment and supplies.	Onboard spill response equipment and supplies shall be sufficient to contain and recover the worst-case scenario spill of petroleum products as outlined in the OSCP.	Proper and timely response in the event of a spill.	Notification to CSLC of onboard spill response equipment/supplies inventory, verify	Contract vessel operator.	Prior to survey.	8/12/15 CLP

EXHIBIT H

Mitigation Monitoring Program

Mitigation Measure (MM)	Location and Scope of Mitigation	Effectiveness Criteria	Monitoring or Reporting Action	Responsible Party	Timing	Implementation Date(s) and Initials
			ability to respond to worst-case spill.			
MM HAZ-1: Oil Spill Contingency Plan (OSCP) Required Information.	Outlined under Hazards and Hazardous Materials (above)					
MM HAZ-2: Vessel fueling restrictions.	Outlined under Hazards and Hazardous Materials (above)					
MM HAZ-3: OSCP equipment and supplies.	Outlined under Hazards and Hazardous Materials (above)					
MM BIO-9: Limitations on Survey Operations in Select MPAs.	Outlined under Biological Resources (above)					
MM REC-1: U.S. Coast Guard (USCG), Harbormaster, and Dive Shop Operator Notification.	All California waters where recreational diving may occur; as a survey permit condition, the CSLC shall require Permittees to provide the USCG with survey details, including information on vessel types, survey locations, times, contact information, and other details of activities that may pose a hazard to divers so that USCG can include the information in the Local Notice to Mariners, advising vessels to avoid potential hazards near survey areas. Furthermore, at least twenty-one (21) days in advance of in-water activities, Permittees shall: (1) post such notices in the harbormasters' offices of regional harbors; and (2) notify operators of dive shops in coastal locations adjacent to the proposed offshore survey operations.	No adverse effects to recreational divers from survey operations.	Notify the USCG, local harbormasters, and local dive shops of planned survey activity. Submit Final Monitoring Report after completion of survey activities.	OGPP permit holder.	Prior to survey.	8/12/15 CSD

EXHIBIT H

Mitigation Monitoring Program

Mitigation Measure (MM)	Location and Scope of Mitigation	Effectiveness Criteria	Monitoring or Reporting Action	Responsible Party	Timing	Implementation Date(s) and Initials
MM FISH-1: U.S. Coast Guard (USCG) and Harbormaster Notification.	All California waters; as a survey permit condition, the CSLC shall require Permittees to provide the USCG with survey details, including information on vessel types, survey locations, times, contact information, and other details of activities that may pose a hazard to mariners and fishers so that USCG can include the information in the Local Notice to Mariners, advising vessels to avoid potential hazards near survey areas. Furthermore, at least twenty-one (21) days in advance of in-water activities, Permittees shall post such notices in the harbormasters' offices of regional harbors.	No adverse effects to commercial fishing gear in place.	Notify the USCG and local harbormasters of planned survey activity. Submit Final Monitoring Report after completion of survey activities.	OGPP permit holder.	Prior to survey.	8/12/15 CSP
MM FISH-2: Minimize Interaction with Fishing Gear.	To minimize interaction with fishing gear that may be present within a survey area: (1) the geophysical vessel (or designated vessel) shall traverse the proposed survey corridor prior to commencing survey operations to note and record the presence, type, and location of deployed fishing gear (i.e., buoys); (2) no survey lines within 30 m (100 feet) of observed fishing gear shall be conducted. The survey crew shall not remove or relocate any fishing gear; removal or relocation shall only be accomplished by the owner of the gear upon notification by the survey operator of the potential conflict.	No adverse effects to commercial fishing gear in place.	Visually observe the survey area for commercial fishing gear. Notify the gear owner and request relocation of gear outside survey area. Submit Final Monitoring Report after completion of survey activities.	OGPP permit holder.	Immediately prior to survey (prior to each survey day).	8/12/15 CSP 9/3/15 CSP
MM FISH-1: USCG and Harbormaster Notification.	Outlined under Commercial and Recreational Fisheries (above)					

Acronyms/Abbreviations: CARB = California Air Resources Board; CDFW = California Department of Fish and Wildlife; CSLC = California State Lands Commission; dB = decibels; kHz = kilohertz; MPA = Marine Protected Area; MWCP = Marine Wildlife Contingency Plan; MWM = Marine Wildlife Monitor; m= meter(s); NOAA = National Oceanic and Atmospheric Administration; NO_x = Nitrogen Oxide; OGPP = Offshore Geophysical Permit Program; OSCP = Oil Spill Contingency Plan; USCG = U.S. Coast Guard



C SURVEY TRACKPLOT



N:\Projects\04_2015\23_0000_7142 Geosyntec Seismic\Outputs\Trackplot\mxd\Trackplot.mxd, 9/11/2015, tardifa



Legend

- Existing Pipeline
- Survey Tracklines with Events

Notes:
Coordinate Grid: State Plane, NAD 83,
CA Zone 5, Feet

N

1 inch = 600 feet

600 300 0 600 Feet

**GEOSYNTec
SURVEY TRACKPLOT
EL SEGUNDO, CA**

Source: Esri, DigitalGlobe, GeoEye, I-cubed, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community