

---

## 8 REFERENCES

- Baxter, R. 1999. Osmeridae. pp. 179-215 In Orsi, J. (ed.) Report on the 1980-1995 Fish, Shrimp, and crab Sampling in the San Francisco Estuary, California. CDFG Tech. Rept. 63, November 1999.
- Benfield, M. C. AND T. J. Minello. 1996. Relative effects of turbidity and light intensity on reactive distance and feeding of an estuarine fish. *Environmental Biology of Fishes* 46:211–216.
- Bennet, W. 2005. Critical Assessment of the Delta Smelt Population! in the San Francisco Estuary, California. *San Francisco Estuary Watershed Science*. 3(2), 2005.
- Boyer, K. and S. Wyllie-Echeverria. 2010. Eelgrass Conservation and Restoration in San Francisco Bay: Opportunities and Constraints. Final REpoirt for the San Francisco Bay Subtidal Habitat Goals Project. 19 November 2010.
- Berg, L. and T. Northcote. 1985. Changes in territorial, gil-flaring, and feeding behavior in juvenile coho salmon (*Oncorhynchus kisutch*) following short-term pulses of suspended sediment. *Can. J. Fish. Aq. Sci.* 42:1410-1417.
- Brandes, P. L. and J. S. McLain. 2001. Juvenile chinook salmon abundance, distribution, and survival in the Sacramento-San Joaquin Estuary. *Fish Bulletin* 179:39-138
- Buchanan, P. A. and D. H. Schoellhamer. 1996. Summary of Suspended-Solids Concentration Data, San Francisco Bay, California, Water Year 1995. U.S. Geological Survey Open-File Report 96-591, Sacramento, California.
- Buchanan and Ganju, 2005. Summary of Suspended-Sediment Concentration Data, San Francisco Bay, California Water Year 2003: U.S. Geological Survey Data Series 113, 46p.
- Buchanan and Ganju, 2006. Summary of Suspended-Sediment Concentration Data, San Francisco Bay, California Water Year 2004: U.S. Geological Survey Data Series 226, 49p.
- Busby, P.J., T.C. Wainwright, G.J. Bryant, L.J. Lierheimer, R.S. Waples, F.W. Waknitz, and I.V. Lagomarsino, 1996. NOAA-NWFSC Tech Memo-27: Status Review of West Coast Steelhead.
- California Department of Fish and Game (CDFG). 2000-2007. Interagency Ecological Program for San Francisco Estuary. Monthly Mid-water and Otter-trawl survey data for San Francisco Estuary.
- CDFG 2009. A Status Review of the Longfin Smelt in California. Report to the Fish and Game Commission. 23 January 2009.
- Conomos, T.J. 1979. Properties and circulation of San Francisco Bay waters. in T. J.Conomos, ed. *San Francisco Bay: The Urbanized Estuary*. Pacific Division, Amer. Assoc. Advance. Sci., San Francisco, Calif.
- Conomos, T.J., Smith, R.E., and Gartner, J.W., 1985, Environmental setting of San Francisco Bay: *Hydrobiologia*, v. 129, p. 1-12.
-

- 
- Cyrus, D. P. and S. J. M. Blaber. 1987. The Influence of Turbidity on Juvenile Marine Fishes in Estuaries, Part 2. Laboratory Studies, Comparisons with Field Data, and Conclusions. *Journal of Experimental Marine Biology and Ecology* 109:71–91.
- Feyrer, F., M. Nobriga, T. Sommer. 2007. Multidecadal trends for three declining fish species: habitat patterns and mechanisms in the San Francisco Estuary, California, USA. *Canadian Journal of Fisheries and Aquatic Sciences* 64:723-734.
- Ford, M. J. 2004. Conservation Units and Preserving Diversity. pp. 338-357 In A.P. Hendry and S. C. Stearns (eds) *Evolution Illuminated: salmon and their relatives*. Oxford Univ. Press
- Goals Project. 1999. Baylands Ecosystem Habitat Goals. A report of habitat recommendations prepared by the San Francisco Bay Area Wetlands Ecosystem Goals Project. First Reprint June 2000, U. S. EPA, San Francisco.
- Grant, J. and B. Thorpe. 1991. Effects of Suspended Sediment on Growth, Respiration, and Excretion of the Soft-Shell Clam (*Mya arenaria*). *Canadian Journal of Fisheries and Aquatic Sciences* 48:1285–1292.
- Gregory, R. S. and T. G. Northcote. 1993. Surface, Planktonic, and Benthic Foraging by Juvenile Chinook Salmon (*Oncorhynchus tshawytscha*) in Turbid Laboratory Conditions. *Canadian Journal of Fisheries and Aquatic Sciences* 50:233–240.
- Gregory, R. S. 1993. Effect of Turbidity on the Predator Avoidance Behavior of Juvenile Chinook Salmon (*Oncorhynchus tshawytscha*). *Canadian Journal of Fisheries and Aquatic Sciences* 50:241–246.
- Harvey, B. 2011. Length-at-Date Criteria to Classify Juvenile Chinook Salmon in the California Central Valley: Development and Implementation History. *IEP Newsletter* 24(3): 26-36.
- Hayes, D., P-Y Wu. 2001. Simple Approach to TSS Source Strength Estimates. *Proc. of Western Dredging Association, WEDA XXI*. Houston, TX. 25-27 June 2001.
- Hayes, D.F., T. Borrowman, and T. Welp. 2000. Near-Field Turbidity Observations During Boston Harbor Bucket Comparison Study. *Proceedings of WEDA XX*. Providence, RI. June 2000.
- Hayes, D., T. McLellan, C. Truitt. 1988. Demonstrations of Innovative and Conversional Dredging Equipment at Calumet Harbor, Illinois. Paper EL-88-1, U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS.
- Hayes, D.F., R.M. Engler. 1986. Environmental Effects of Dredging. Technical Notes, U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS.
- Healy, M. C. 1991. Life History of Chinook Salmon. In Groot, C. and Margolis, L. (eds) *Pacific Salmon Life Histories*. UBC Press.
-

- 
- Hearn, A. R., E. D. Chapman, A. P. Klimley, P. E. LaCivita, and W. N. Brostoff. 2010. Salmonid smolt outmigration and distribution in the San Francisco Estuary 2010. Interim Draft Report, University of California Davis and US Army Corp of Engineers. 90p.
- Herbich. 2000. Handbook of Dredging Engineering, 2nd Ed. New York: McGraw-Hill.
- Herbich, J.B., S.B. Brahme. 1991. Literature Review and Technical Evaluation of Sediment Resuspension During Dredging. Contract Report HL-91-1, Prepared for the Department of the Army, Washington, DC: U.S. Army Corps of Engineers.
- Huntington, K. M. and D. C. Miller. 1989. Effects of Suspended Sediment, Hypoxia, and Hyperoxia on Larval *Mercenaria mercenaria* (Linnaeus 1758). Journal of Shellfish Research 8:37-42.
- Israel, J. A., M. Blumberg, J. Cordes, and B. May. 2004. Geographic patterns of genetic differentiation among western U.S. collections of North American green sturgeon (*Acipenser medirostris*). North Amer. Journ. Fish. Man. 24:922-931.
- Israel, J. A., K. J. Bando, E. C. Anderson, and B. May. 2009. Polyploid microsatellite data reveal stock complexity among estuarine North American green sturgeon (*Acipenser medirostris*). Can. J. Fish. Aquat. Sci. 66: 1491–1504.
- Ivanov, V.N., T.G. Usenko, and A.V. Parkhomenko. 1976 effect of Hydrogen Sulfide on the Survival Rate of Eggs and Embryonal Mitoses of the Black Sea Turbot Hydrobiol.J. 12(2):60-62
- Jahn, A. 2004. On the presence/absence of listed salmonid ESUs in Central San Francisco Bay. Port of Oakland white paper, March 2004 draft.
- Jahn, A. 2011 a. Young Salmonid Out-Migration through San Francisco Bay with Special Focus on their Presence at the San Francisco Waterfront. with Anchor QEA, L.P. for Port of San Francisco. May 2011.
- Jahn, A. 2011b. An Alternative Technique to Quantify the Incidental Take of Listed Anadromous Fishes at the Federal and State Water Export Facilities in the San Francisco BayDelta Estuary. Kier and Associates for National Marine Fisheries Service central Valley Office. July 2011.
- Jassby, A. D., W. J. Kimmerer, S. G. Monismith, C. Armor, J. E. Cloern, T. M. Powell, J. R. Schubel, and T. J. Vendlinski. 1995. Isohaline position as a habitat indicator for estuarine populations. Ecological Applications 5:272–289.
- Johnson, B.H., T.M. Parchure. 1999. Estimating Dredging Sediment Resuspension Sources. DOER Technical Notes Collection, TN DOER-E6, U.S. Army Engineer Research and Development Center, Vicksburg, MS.
- Johnson, R. R., F. W. Fisher, and D. D. Weigand. 1992. Use of growth data to determine the spatial and temporal distribution of four runs of juvenile chinook salmon in the Sacramento River, California. Report N. AFF.-FRO-92-15. U. S. Fish and Wildlife Service, Red Bluff, CA.
-

- 
- Killam, D. 2009. Chinook Salmon Populations for the Upper Sacramento River Basin in 2008. SRSSAP Technical Report No. 09-1
- Kiorbe, T., F. Mohlenberg, O. Nohr. 1981. Effect of Suspended Bottom Material on Growth and Energetics in *Mytilus edulis*. *Marine Biology* 61:283-288.
- Kjelson, M. A., P. F. Raquel, and F. W. Fisher. 1982. Life history of fall-run juvenile chinook salmon, *Oncorhynchus tshawytscha*, in the Sacramento-San Joaquin estuary, California. In: V. S. Kennedy (ed.) *Estuarine Comparisons*. Academic Press.
- Knoph, M.B., and K. Thorud 1996 Toxicity of Ammonia to Atlantic Salmon (*Salmo salar L.*) in Seawater- Effects on Plasma Osmolality, Ion, Ammonia, Urea and Glucose Levels and Reference Source: *Comp. Biochem. Physiol. A* 113(4):375-381
- LFR. 2004. Framework for Assessment of Potential Effects of Dredging on Sensitive Fish Species in San Francisco Bay. Prepared for U. S. Army Corps of Engineers, San Francisco Division. August, 2004.
- Lindley, S. T. et al. 2007. Framework for Assessing Viability of Threatened and Endangered Chinook Salmon and Steelhead in The Sacramento-San Joaquin Basin. *San Francisco Estuary and Watershed Science*, 5(1).
- Lindley, S.T., Moser, M.L., Erickson, D.L., Belchik, M., Welch, D.W., Rechisky, E.L., Kelly, J.T., Heublein, J.C., and Klimley, A.P. 2008. Marine migration of North American green sturgeon. *Trans. Am. Fish. Soc.* **137(1)**: 182–194.
- Long, E. R., D. D. MacDonald, S. L. Smith, and F. D. Calder. 1995. Incidence of Adverse Biological Effects within Ranges of Chemical Concentrations in Marine and Estuarine Sediments. *Environ. Manage.* 19(1):81-97.
- MacFarlane, R. B., & Norton, E. 2002. Physiological ecology of juvenile chinook salmon (*Oncorhynchus tshawytscha*) at the southern end of their distribution, the San Francisco Estuary and Gulf of the Farallones, California. *Fishery Bulletin* 100: 244-257.
- Martin, C. D., P. D. Gaines and R. R. Johnson. 2001. Estimating the abundance of Sacramento River juvenile chinook salmon with comparisons to adult escapement. Red Bluff Research Pumping Plant Report Series, Volume 5. U. S. Fish and Wildlife Service, Red Bluff, CA.
- MBC Applied Environmental Sciences (MBC). November 2000. Turbidity Issues in Relationship to Dredging. Port of Los Angeles.
- McEwan, D. 2001. Central Valley Steelhead. In: Brown, RL, Editor. *Contributions to the biology of Central Valley salmonids*, Fish Bulletin 179. Fish Bulletin 179.1. California Department of Fish and Game. p. 1-44.
-

- 
- McKee, Ganju, Schoelhamer, 2006. Estimates of suspended sediment entering San Francisco Bay from the Sacramento and San Joaquin Delta, San Francisco Bay California. *Journal of Hydrology* 323, pages 325-352.
- Merkel, K.W. and Associates. 2005. Baywide eelgrass (*Zostera marina* L.) inventory in San Francisco Bay: Eelgrass bed characteristics and predictive eelgrass model. Report prepared for the State of California Department of Transportation in cooperation with NOAA Fisheries.
- Merz, J. E., S. Hamilton, P. S. Bergman, and B. Cavallo. 2011. Spatial perspective for delta smelt: a summary of contemporary survey data. *California Fish and Game* 97:164-189.
- Miller and Kaplan. 2001. Petition to list the North American Green Sturgeon (*Acipenser medirostris*) as an endangered or threatened species under the Endangered Species Act. Prepared by the Environmental Protection Information Center, Center for Biological Diversity, and Waterkeepers Northern California.
- Moore, P. G. 1978. Inorganic Particulate Suspensions in the Sea and Their Effects on Marine animals. *Oceanography and Marine Biology Annual Review* 15:225–363.
- Myers, J.M., R.G. Kope, et al. 1998. Status review of chinook salmon from Washington, Idaho, Oregon, and California. Seattle, National Marine Fisheries Service/ Northwest Fisheries Science Center.
- Moyle, P. B., R. M. Yoshiyama, J. E. Williams, and E. D. Wikramanayake, 1995. Fish Species of Special Concern in California. Second edition. Final report to California Department of Fish and Game, contract 2128IF.
- Moyle, P. B., 2002. *Inland Fishes of California*. University of California Press, Berkeley, California
- Newman, K. 2008. Sample design-based methodology for estimating delta smelt abundance. *San Francisco Estuary Watershed Science*. October 2008.
- Newell, R.C.; Seiderer, L.J., and Hitchcock, D.R., 1998. The impact of dredging works in coastal waters: A review of the sensitivity to disturbance and subsequent recovery of biological resources on the seabed. *Oceanography and Marine Biology*, 36, 127-178.
- Nightingale, B., and C. Simenstad. 2001. Overwater structures: Marine issues. Aquatic Habitat Guidelines: An integrated approach to marine, freshwater, and riparian habitat protection and restoration. Prepared for Washington Department of Fish and Wildlife, Washington Department of Ecology and Washington State Department of Transportation by University of Washington, Seattle, Washington.
- NOAA (National Oceanic and Atmospheric Administration) Fisheries. 2005a. Endangered and Threatened Species; Designation of Critical Habitat for Seven Evolutionarily Significant Units of Pacific Salmon and Steelhead in California; Final Rule. 50 CFR Part 226 Vol. 70 (170): 52488 52627. National Oceanic and Atmospheric Administration's National Marine Fisheries Service.
-

- 
- NOAA Fisheries. 2005b. Green Sturgeon (*Acipenser medirostris*) Status Review Update. Biological Review Team Santa Cruz Laboratory Southwest Fisheries Science Center NOAA Fisheries February 2005.
- NOAA (National Oceanic and Atmospheric Administration). 2007. Report on the Subtidal Habitats and Associated Biological Taxa in San Francisco Bay. August.
- NOAA (National Oceanic and Atmospheric Administration) Fisheries, 2009. Endangered and Threatened Wildlife and Plants: Final Rulemaking to Designate Critical Habitat for the Threatened Southern Distinct Population Segment of North American Green Sturgeon; Final Rule. 50 CFR Part 226. Federal Register (Volume 74, Number 195): 52300 52351. National Oceanic and Atmospheric Administration, National Marine Fisheries Service. URL: <http://www.epa.gov/fedrgstr/EPA-SPECIES/2009/October/Day-09/e24067.htm>. October 9, 2009.
- Olberding Environmental, Inc. 2008. Steelhead Trout, Chinook Salmon, and Green Sturgeon Biological Assessment for the Pacific Refining Company Marine Terminal Deconstruction and Pipeline Project, Southeastern San Pablo Bay, Contra Costa, CA. Prepared for Pacific Refining Company. October 2008. 34 64 pp.
- Orsi, J. (ed). 1999. Report on the 1980-1995 Fish, Shrimp, and crab Sampling in the San Francisco Estuary, California. Calif. Dept. Fish and Game Technical Report 63, November 1999.
- Pacific Ecorisk. 2012. Sediment Characterization Sampling and Analysis Plan (SAP) for the Removal of a Wastewater Outfall Pipeline Located in Hercules, CA. Prepared for Boudreau Associates LLC.
- Pacific Ecorisk. 2013. Data Report - Characterization of the Sediment for the Removal of a Wastewater Outfall Pipeline Located in Hercules, CA: Sampling and Analysis Results. Prepared for Boudreau Associates LLC.
- Parr, W., S.J. Clarke, P. Van Dijk, N. Morgan. 1998. Turbidity in English and Welsh Tidal Waters. WRC Report No. CO 4301, Report for English Nature, WRC Medmenham, Bucks.
- Peddicord, R. K., and McFarland, V. A. (1978). "Effects of suspended dredged material on aquatic animals," [Technical Report D-78-29](#), U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS., NTIS No. AD A058 489. <http://el.erdc.usace.army.mil/elpubs/pdf/trd78-29.pdf>
- Pennekamp, J.G.S., R.J.C. Eskamp, W.F Rosenbrand, A. Mullie, G.L. Wessel, T. Arts, I.K. Decibel. 1996. Turbidity Caused by Dredging; Viewed in Perspective. *Terra et Aqua* 64:10-17.
- Pennekamp, J.G.S., M.P. Quaak. 1990. Impact on the Environment of Turbidity Caused by Dredging. *Terra et Aqua* 42:10-20.
- Poucher, S. 1986, Memo to D.J.Hansen, U.S. EPA. Results of Acute Toxicity Tests Conducted with Ammonia at ERL, Narragansett.
- Rosenfield, J. A. and Baxter, R. D. 2007 Population Dynamics and Distribution Patterns of Longfin Smelt in the San Francisco Estuary. *Transactions of the American Fisheries Society*. 136 (6): 1577-1592.
-

- 
- SFRWQCB (1998) Ambient concentrations of toxic chemicals in San Francisco Bay Sediments: Draft Staff Report. San Francisco Regional Water Quality Lab Control Board, Oakland, CA.
- Schoellhamer, D. H. 1996. Factors Affecting Suspended-Solids Concentrations in South San Francisco Bay, California. *Journal of Geophysical Research* 101:12087–12095.
- Schoellhamer, D. 2002. Variability of suspended sediment concentration at tidal to annual time scales in San Francisco Bay, USA. *Continental Shelf Research* 22:1857-1866.
- Servizi, J. A. and D. W. Martens. 1992. Sublethal Responses of Coho Salmon (*Oncorhynchus kisutch*) to Suspended Sediments. *Canadian Journal of Fisheries and Aquatic Sciences* 49:1389–1395.
- Servizi, J. A. 1990. Sublethal Effects of Dredged Sediments on Juvenile Salmon. Proc. of the Workshop on the Effects of Dredging on Anadromous Pacific Coast Fishes. C. A. Simenstad, ed. Washington Sea Grant Program, Seattle 57–63.
- SFEI (San Francisco Estuary Institute), 2008. Effects of Short-term Water Quality Impacts Due to Dredging and Disposal on Sensitive Fish Species in San Francisco Bay. SFEI Contribution 560. San Francisco Estuary Institute, Oakland, California. <http://www.sfei.org/node/1407>
- Stern, E.M., W.B. Stickle. 1978. Effects of Turbidity and Suspended Material in Aquatic Environments; Literature Review. Technical Report D-78-21, U.S. Army Engineer Waterways Experiment Station, CE, Vicksburg, MS.
- Sommer, T. and many others. 2007. The Collapse of Pelagic Fishes in the Upper San Francisco Estuary. *Fisheries* 32:270-277. available at [http://www.water.ca.gov/iep/docs/pod/sommers\\_fish.pdf](http://www.water.ca.gov/iep/docs/pod/sommers_fish.pdf)
- Thackston, E.L. and M.R. Palermo. 2000. Improved Methods for Correlating Turbidity and Suspended Solids for Monitoring. DOER Technical Notes Collection, ERDC TN-DOER-E8, U.S. Army Engineer Research and Development Center, Vicksburg, MS.
- U.S. Environmental Protection Agency/ U.S. Army Corps of Engineers (USEPA/USACE). 1998. Evaluation of dredged material proposed for discharge in waters of the U.S. testing manual - inland testing manual. U.S. Environmental Protection Agency/U.S. Army Corps of Engineers. EPA-823-B-94-002. U.S. Environmental Protection Agency, Office of Water (4305).
- U.S. Army Corps of Engineers (USACE) et al. 2001. PN 01-01. Guidelines for implementing the inland testing manual in the San Francisco Bay region. Prepared by U.S. Army Corps of Engineers, San Francisco District; U.S. Environmental Protection Agency, Region IX; San Francisco Bay Conservation and Development Commission; and San Francisco Bay Regional Water Quality Control Board, California State Lands Commission. San Francisco, CA.
- U.S. Army Corps of Engineers (USACE). 2004. PORT OF OAKLAND - Outer Harbor Maintenance Dredging Operations Spatial Characterization of Suspended Sediment Plumes During Dredging Operations Through Acoustic Monitoring. Prepared by MEC Analytical Systems, Inc. and U.S. Army Engineer Research and Development Center Dredging Operations Technical Support Program (EM-D) 3909 Halls Ferry Road Vicksburg, Mississippi 39180.
-

- 
- USACE and USEPA. 2009. Programmatic Essential Fish Habitat (EFH) Assessment for the Long-Term Management Strategy for the Placement of Dredged Material in the San Francisco Bay Region. United States Army Corps of Engineers and the United States Environmental Protection Agency, July 2009.
- USEPA/USACE (2011) DMMO Agreement on Programmatic EFH Conservation Measures for Maintenance Dredging Conducted Under LTMS Program (Tracking Number 2009/06769).
- USFWS 1988. The Ecology of the soft bottom benthos of San Francisco Bay: A Community Profile. Biological Report 85(7.19) September 1988.
- USFWS 2008. Endangered and Threatened Wildlife and Plants; 12-month Finding on a Petition to List the San Francisco Bay-Delta Population of the Longfin Smelt as Endangered or Threatened
- USFWS. 2012. Longfin Smelt 12-month Finding.  
[http://www.fws.gov/sfbaydelta/species/longfin\\_smelt.cfm](http://www.fws.gov/sfbaydelta/species/longfin_smelt.cfm), posted October 2012.
- Ward, P. D., T. R. McReynolds, and C. E. Garman. 2002. Butte and Big Chico Creeks Spring-Run Chinook Salmon, *Oncorhynchus tshawytscha*, Life History Investigation 2000-2001. Inland Fisheries Administrative Report, California Department of Fish and Game. R. L. Dixon, ed.
- Waples, R. S. 1991. Definition of "Species" Under the Endangered Species Act: Application to Pacific Salmon. NOAA Technical Memorandum NMFS F/NWC-194.
- Wilber, D.H. and D.G. Clark. 2001. Biological effects of suspended sediments: A review of suspended sediment impacts on fish and shellfish with relation to dredging activities in Estuaries. *N. Amer. J. Fish. Man.* 21: 855-875.
- Williams, J. G. 2006. Central Valley Salmon: A Perspective on Chinook and Steelhead in the Central Valley of California. *San Francisco Estuary and Watershed Science*, 4(3).
- Williams, J. G. 2012. Juvenile Chinook Salmon (*Oncorhynchus tshawytscha*) in and Around the San Francisco Estuary. *San Francisco Estuary and Watershed Science*, 10(3).
- Zabin, C. J., S. Attoe, E. Grosholz, and C. Coleman-Hubert. 2010. Shellfish Conservation and Restoration in San Francisco Bay: Opportunities and Constraints Final Report for the Subtidal Habitat Goals Committee. U. C. Davis, 29 April 2010.
-