#### MINUTE ITEM

This Calendar Item No. 3/ was approved as Minute Item No. \_ \_ by the State Lands Commission by a vote of 3 to \_\_\_\_ at its \_\_/2/17/8/ meeting.

CALENDAR ITEM

31

11/23/81 W 40248 Dorsey PRC 6096

# GEOTHERMAL PROSPECTING PERMIT

APPLICANT:

Larry T. Durkan

2124 Mount Olive Court

Santa Rosa, California 95404

AREA, TYPE LAND AND LOCATION:

Approximately 1670 acres of proprietary

lands (Department of Developmental Services) at Sonoma State Hospital, Eldridge, Sonoma

County.

LAND USE:

Drill from one to three wells at locations approved by hospital administration to assess geothermal potential of area.

TERMS OF PROPOSED PERMIT:

Initial period:

Two years from December 20,

1981.

Renewal options: One period for two years.

Surety bond:

\$50,000

Public liability insurance: combined single

limit coverage of \$500,000.

Special:

Upon discovery of geothermal resources in commercial quantities, permittee will be entitled to a preferential lease upon notice of intention to exercise this right: subject, however to the discretion of the Commission and review of environmental

documentation pertaining to full field development

of the resource.

AL ENDAR PAGE LITE PAGE

# CALENDAR ITEM NO. 31 (CONTD)

CONSIDERATION:

Rental of \$1 per acre per annum during first year, escalating to \$5 per acre per annum during the second year; and \$25 per acre per annum during any renewal period, unless a well has been drilled.

In case a preferential lease is executed, it will provide for rental of \$1 per acre per annum, and a royalty of 10 percent of gross revenues received from the sale of geothermal resources, with a minimum royalty of \$2 per acre per annum.

PREREQUISITE TERMS, FEES AND EXPENSES:

Filing fee and processing costs have been received.

STATUTORY AND OTHER REFERENCES:

- A. P.R.C.: Div. 6, Parts 1 and 2; Div. 13; Div. 20.
- B. Cal. Adm. Code: Title 2, Div. 3; Title 14, Div. 6.

AB 884:

12/7/82-

OTHER PERTINENT INFORMATION:

Larry T. Durkan has applied for a geothermal prospecting permit to drill as many as three wells up to 6,500 feet deep at Sonoma State Hospital, Sonoma County, to determine the availability, quantity, and quality of geothermal resources underlying the hospital grounds. Warm waters (70°F or warmer) have been reported in nearby areas at shallow depths. The use to be made of any resource discovered will depend upon its temperature, pressure, volume and mineral content; possible uses include the generation of electricity, spaceheating, domestic hot water, and preheated boiler stock. Hospital staff favors the project as a potential means for reducing energy expenditures. Department of Water Resources has proposed a cogeneration project for the hospital, to provide electrical power for the State Water Project; their project is being held in abeyances pending early assessment of the geothermal potential.

CALÉNDAR PAGE 162
MINUTE PAGE 2808

# GALENDAR ITEM NO. 31 (CONTD)

- 2. A negative declaration was prepared by the California Division of Oil and Gas, purcuant to CEQA and the State EIR Guidelines.
- 3. This project is situated on propietary lands not identified as possessing significant environmental values. A staff review of available environmental information indicates no reason to identify the subject lands as having such values at this time.

#### APPROVALS OBTAINED:

Department of Developmental Services.

## FURTHER APPROVALS REQUIRED:

Division of Oil and Gas, Regional Water Quality Control Board, Bay Area Air Quality Management District, County of Sonoma.

**EXHIBITS:** 

- A. Land Description.
- B. Location Map.
- C. Negative Declaration.

#### IT IS RECOMMENDED THAT THE COMMISSION:

- 1. DETERMINE THAT A NEGATIVE DECLARATION HAS BEEN PREPARED FOR THIS PROJECT BY CALIFORNIA DIVISION OF OIL AND GAS.
- 2. CERTIFY THAT THE COMMISSION HAS REVIEWED AND CONSIDERED THE INFORMATION CONTAINED IN THE NEGATIVE DECLARATION.
- 3. DETERMINE THAT THE PROJECT WILL NOT HAVE A SIGNIFICANT EFFECT ON THE ENVIRONMENT.
- 4. AUTHORIZE ISSUANCE TO LARRY T. DURKAN OF A TWO-YEAR GEOTHERMAL PROSPECTING PERMIT FOR GEOTHERMAL RESOURCES AT SONOMA STATE HOSPITAL, ELDRIDGE, SONOMA COUNTY ON THE LAND DESCRIBED ON EXHIBIT "A" ATTACHED HERETO AND BY THIS REFERENCE MADE A PART HEREOF FROM DECEMBER 20, 1981, WITH LESSE'S OPTION TO RENEW FOR ONE PERIOD OF TWO YEARS AND WITH THE RIGHT TO REQUEST A PREFERENTIAL LEASE IF GEOTHERMAL RESOURCES ARE DISCOVERED IN COMMERCIAL QUANTITIES; IN CONSIDERATION OF ANNUAL RENTS IN THE AMOUNT OF \$1 PER AGRE FOR THE FIRST YEAR, ESCALATING TO \$5 PER AGRE FOR THE SECOND YEAR, AND \$25 PER AGRE

# CALENDAR ITEM NO. 31 (CONTD)

DURING ANY RENEWAL PERIOD UNLESS A WELL HAS BEEN DRILLED. THE PERMIT WILL AUTHORIZE THE DRILLING OF FROM ONE TO THREE WELLS TO A MAXIMUM DEPTH OF 16,500' AT LOCATIONS APPROVED BY THE HOSPITAL, AND IN ACCORDANCE WITH REASONABLE CONDITIONS ESTABLISHED BY THE HOSPITAL. THE PERMIT WILL FURTHER PROVIDE THAT IF A PREFERENTIAL LEASE IS REQUESTED, IT WILL PROVIDE FOR RENTAL OF \$1 PER ACRE PER ANNUM, AND A ROYALTY OF 10 PERCENT OF GROSS REVENUES FROM THE SALE OF GEOTHERMAL RESOURCES, WITH A MINIMUM ANNUAL ROYALTY OF \$2 PER ACRE.

# EXHIBIT "A" LAND DESCRIPTION

W 40248

All that certain piece parcel or tract of land, situated in the County of Sonoma, State of California, bounded and described as follows:

Beginning at a stake in a mound of rocks, on the summit of Sonoma Mountain, said mound of rocks being the same as that mentioned in the deed from P. Monahan Sr. and P. Monahan Jr. to Wm. McPherson Hill. dated September 19, 1877 and recorded on page 95 of Book 61 of deeds in the office of the County Recorder of Sonoma County: thence North 67° East 79.15 chains to a stake on the West line of the land of Patrick Monahan; thence along the land of said Patrick Monahan North 19° West 3.75 chains: thence North 67° East 8.40 chains: thence North 17° West 1.23 chains; thence North 2° 30' West 4.20 chains; thence North 24° 30' East 2.64 chains; thence North 62° 30' East 1.68 chains: thence South 73° 15' East 2.15 chains; thence South 63° 30' East 4.18 chains; thence South 72° 45' East 2.16 chains; thence South 76° 30° East 1.71 chains to a young fir tree marked with 3 notches and standing in Patrick Monahan's yard; thence South 86° East 0.48 chains to a corner under Patrick Monahan's wagon shed from which corner a Madrona tree marked with three notches bears North 32° East 0.85 chains distant thence North 67° 30° East 36.94 chains; thence South 20° East 3.37 chains to an old redwood stake marked "H I L" and standing in the corner of a picket fence; thence North 67° East 73.56 chains to the middle of Sonoma Creek; thence meandering in the middle of said creek North 25° 15' West 3.73 chains; thence North 42° 15' West 4.77 chains; thence North 68° 45' West 1.08 chains; thence North 56° 45' West 2.73 chains, North 42° 45' West 4.25 chains; thence leaving said Sonoma Creek, North 66° 36' East 59.06 chains to the middle of the public. road leading from Glen Ellen to Sonoma; thence following the meanderings of said public road North 27° 45' West 10.00 chains, North 47° 45' West 3.00 chains, North 22° 15' West 16.00 chains, North 37° 45" West 20.00 chains, North 33° 45' West 15.55 chains to a point in the middle of said public road, which is opposite to a rock marked "W. E.C." planted in the Westerly edge of said road; thence North 379 15' West 25.49 chains to the Northeast corner of the land of F. G. Thierkoff; thence leaving said public road South 57° 45' West 54.55 chains along the land of said F. G. Thierkoff; thence South 13° 45' East 12.00 chains to a stake; thence South 57° 45° West 13.14 chains along the land of said Thierkoff to the middle of Sonoma Creek; thence meandering in the middle of said Sonoma Creek South 7° 15' West 6.00 chains: thence South 16° 15' West 2.70 chains; thence South 20° 30' East 10,00 chains; thence South 29° 37' East 7.53 chains; thence leaving said creek South 67° 30' West 17.66 chains along the land of J. Chauvet; thence North 23° 45' West 8.00 chains along the land of said J. Chauvet to a stake in Ashbury Canyon; thence following the meanderings of said Ashbury Canyon to the summit of Sonoma Mountain, according to the following bearings and distances; South 26° 45' West 1.12 chains; South 14° 45" East 1.18 chains; South 26° 45' West 0.46 chains, South 82° 15' West 1.57 chains, South 60° 15' West 2.12 chains, South 51° 45' 11 to 2.78 chains, South 9° 15' West 1.41 chains, South 510 45' West 1.32 chains;

CALENDAR PAGE 165

North 82° 45' West 2.43 chains, South 79° 15' West 1.28 Thains, South 6° 30' East 1.19 chains, South 4° 15' West 1.91 chains South 68° 45' West 1.70 chains, North 43° 45' West 2.57 chains, South 515 West 1.66 chains, South 42° West 0.80 chains, North 82° 15' West 1.22 chains, South 30° 45' West 1.32 chains, South 59° 15' West 2.12 chains, South 83° 30' West 1.67 chains, South 43° 30' West 1.99 chains North 68° 45' West 0.33 chains. South 40° 15' West 0.91 chains, North 68° 30" West 1.08 chains, South 55° 30' West 1:36 chains, South 87° 45° West 1:40 chains. North 67° 25' West 1.20 chains, North 54°-45' West 1.03 chains, South 80% 45' West 1.45 chains, North 87% 45' West 1.64 chains South 89% 30' West 0.83 chains, South 57% 15' West 1.77 chains, North 72% 45' West 2.09 mains, Worth 85° 15' West 0.67 chains, South 72° 15' West 1.75 chains, Forth 34° West 0.61 chains, South 80° 45' West 1.39 chains, 1.75 chains, Forth 34°West 0.61 chains, South 80° 45' West 1.39 chains, South 67° West 1.35 chains, North 44° West 0.70 chains, South 51° 15' West 2.00 chains, South 65° West 1.29 chains, North 69° 45' West 1.25 chains, South 74° West 0.65 chains, North 78° West 1.41 chains, South 34° 45' West 1.24 chains, South 53° 15' West 1.49 chains, South 55° West 1.78 chains, South 86° 15' West 1.81 chains, South 86° 45' West 1.78 chains, South 86° 15' West 0.87 chains, South 86° 45' West 1.32 chains, South 88° 15' West 0.87 chains, South 67° 15' West 1.53 chains, South 40° 15' West 1.05 chains, South 40° 15' West 1.05 chains, South 40° 15' West 1.88 chains, South 19°25' Fast 0.88 chains, South 40° 45' West 1.67 1.88 chains, South 19°25' East 0.88 chains, South 46 45' West 4.67 chains, South 68° West 1.32 chains, North 72° West 2.11 chains, South 76° 30' West 1.95 chains, South 41° 45' West 0.64 chains, South 6° 45' West 1.27 chains, South 56° 15' West 2.36 chains South 77° 45° West 1.67 chains, South 47° 15' West 1.94 chains. South 64° 45' West 0.78 chains, South 44° 30' West 1.64 chains, South 76° 50' West 2.15 chains, South 72° 15' West 1.43 chains, South 69° West 1.52 chains, South 49° 15' West 1.35 chains, South 79° 15' West 1.39 chains, South 46' 45' West 1.24 chains, South 78° 15' West 1.52 chains, South 23° 30' West 2.22 chains, South 38° West 1.15 chains, South 62° West 1.18 chains, South 37° 45' West 1.33 chains, South 57° 30' West 1.52 chains, South 82° West 0.78 chains, South 52° 15' West 1.76 chains, South 72° 45' West 2.25 chains, South 51° West 1.32 chains, South 60° West 0.76 chains, South 21° 15' West 0.67 chains, South 77° 15' West, 2.10 chains North 87° 30' West 1.33 chains, North 76° West 2.15 chains, South 84° 15' West 1.03 chains, South 43° 30' West 1.33 chains, South 78° 30' West 0.50 chains, South 33° 15' West 0.84 chains, North 81° 45' West 210 chains. North 82° 45' West 1.31 chains. North 45° 15' West 1.16 chains. North 66° 15' West 1.60 chains, North 62° 45' West 1.24 chains, North 57° 45' West 1.09 chains, North 88° West 0.96 chains, North 82° West 1.33 chains, North 77° West 1.24 chains, Morth 46° West 1.36 chains, South 85° 30' West 1.85 chains, North 65° West 1.62 chains, North 45° 45'West 0.32 chains, North 61° 15' West 1.49 chains, South 55° 45' West 1.95 chains, North 87° 30' West 2.20 chains, North 78° West 2.36 17° 15' West 2.10 chains, South 21° 45' West 0.87 chains, South 12° 15' West L.16 chains, South 57° 15' West L.17 chains, South 12"

MINISTE PAGE 2812

G/

West, 0.64 chains, South 54° West 0.83 chains, South 47° 45' West 1.25 chains, South 17° 15' West 1.03 chains, South 16° 45' West 1.73 chains, South 21° 15' Vest 1.79 chains, South 14° 15' East 1.95 chains, South 38° 15' East 1.88 chains, South 52° East 1.69 chains, South 74° 30' East 1.53 chains, South 44° 15' East 1.20 chains South 38° 45' East 2.00 chains, South 15° 15' East 1.62 chains, South 21° 45' East 2.00 chains, South 50° 45' East 1.62 chains, South 19° East 2.13 chains, South 6° 15' East 3.18 chains, South 19° West 4.48 chains, South 2° 15' East 3.43 chains, South 18° 45' East 1.58 chains, South 38° 30' East 2.57 chains to an old black only tree on summit of Sonoma Mountain: thense on said summit, South 21° East 9.22 chains to a stake in a mound of rocks, the place of beginning, containing one thousaid six hundred and sixty nine and 93/100ths (1669.93) acres. Bearings true, Magnetic Variation 17-1/4° East as surveyed by L. E. Ricksecker, Surveyor.


The above description includes bots No's. 14, 15, 21, 23, 24, 25, 26 and 28 of Section No. 15 and Lots No's. 1, 2 and 5 of Section No. 22 in Township 6, North of Range Six West, Mount Diablo Meridian and portions of the Ranchos "Petaluma" and Agua Caliente.

Saving and excepting therefrom that portion thereof conveyed to Charles J. Pagani, by deed dated January 28, 1948 recorded May 26, 1948 under Sonoma County Recorder's Serial No. C-68235.

END OF DESCRIPTION

REVIEWED NOVEMBER 2, 1981 BY TECHNICAL SERVICES UNIT, ROY MINNICK, SUPERVISOR.

CALENDAR PAGE 167



## STATE, OF CALIFORNIA-RESQUECES AGENCY

CEPARTMENT OF CONSERVATION
DIVISION OF OIL AND GAS
1416-9th STREET, ROOM 1316SACRAMENTO, CALIFORNIA-95814\*
(916)-445-9686



November 4, 1981

The attached documents, along with the Notice of Determination, make up the Mitigated Megative Declaration, which has been issued by the California Division of Oil and Gas on the Sonoma State Hospital geothermal exploratory project being proposed by Exploration Engineering, Inc.

No comments were received by the division as a result of the Negative Declaration being distributed for public and State Clearinghouse (SCH #881199601) review from October 1, 1981 to October 30, 1981. No significant adverse impacts are anticipated as a result of imprementing this exploratory project.

Sincerely,

Bernd T. Beutenmuller Geothermal CEQA Unit

BTB:pw

CALENDAR PAGE

MNUTE PAGE

2815

# NOTICE OF DETERMINATION

TO: SECRETARY FOR RESOURCES
1416 NINTH STREET, ROOM 1311
SACRAMENTO, CALIFORNIA 95814

PROJECT DESCRIPTION:	
PROJECT TITLE: 113 Sonoma State Hospital	WELL NAME(S)-AND NUMBER(S)
FIELD COUNTY/O	ITY
So:	.1.
SECTION(S), TOWNSHIP (S), AND RANGE(S); 8-& M	
Sec. 24, T. 6N., R. 5W., M.D.B.&M.	SS: #1, 2, 3, 4, 5
NAME OF OPERATOR	OPERATOR REPRESENTATIVE
Exploration Engineering, Inc.	Lary T. Durkan
OPERATOR ADDRESS 2278 Market Street, San Francisco, C.	A 94114 GPERATOR PHONE NUMBER (415) 431-5352
PROJECT ABSTRACT:	
exploratory well at each of up to as may	
	•
DIVISION CONTACT.	PHONENUMBER
Bernd T. Beutenmuiter	(916) 323-2732
The Division of Oil and Gas, Department of Conservation, has tions:  The project will will not, have a significant effections.	approved the above-described project and has made the following determina-
An Environmental Impact Report was prepared for	the project-pursuant to the provisions of CEQA.
Negative Declaration was prepared for the project AA is attached.	ct pursuant to the provisions of CEQA. A copy of the Nigative Declaration
A Statement of Overriding Considerations [] was, 🔯	was not, adopted for this project. A copy of the Statement is attached.
STATE CLEARING HOUSE NUMBER 81100601	Mellel
OGG/OG PROJECT NUMBER 2-32-90-985-113	DATE: November 4/ 1981 170
OGS150(3-79-DWRR-5C)	2816.

## RESOURCES AGENCY OF CALIFORNIA DEPARTMENT OF CONSERVATION DIVISION OF OIL AND GAS

# ENVIRONMENTAL CHECKLIST FORM

DATE FILED

PROJECT	TITLE: 113 Sonoma State Hosp	iteal		RVATION CRATORY	WELL NAME(S) AND	NUMBER (	5)	:	
FIELD	<u> </u>	COUNTY/CITY	R EXPL	SHATCHT	SS #1, 2.	2 / è	•		
			Sonôna			د بو.4 بود نستنسست			
IAME OF	OPERATOR ration Engineering, Inc.	~*			REPRESENTATIVE			•	
	OR ADDRESS Market Street, San Francis	sco, CA 941	14			OPERATO (415)			BEA
L ENVI	RONMENTAL IMPACTS			- * *	******				
(Explan	ations of all "yes" and "maybe" answers a	re required on all	ached shee	ts.)		- •	vee	ime	
1. E	orth. Will the proposal result in:						YES	MAS TENE	. N.
a.	Unstable earth conditions or in changes i	n geológic substr	uctures?						<u> X</u>
b.	Disruptions, displacements, compaction of	r.overcovering of	the soil?	,			X_		
c.	Change in topography or ground surface	relief features?				, :	<u>X</u> .		
ā,	The destruction, covering or modification	of any unique geo	ölögiç or ph	ysice! (eafun	33?		<u></u>		X
0.	Arry-increase in windics water erosion of	soils, either on or	off the site	?		ř	<del>ٺٺ</del> ,	X	<del></del>
	Changes in deposition or erosion of beach				n or eroeion which may	modify tile	,	-	X
g. hazari	Exposure of people or property to geologic	hazards such ás e	ea thquakes	, landelides,	mudslides, ground failure	, or simitir	<del></del>	, <u>, , , , , , , , , , , , , , , , , , </u>	<u>x</u>
2. Ai	r. Will the proposal result in:								
<b>.</b> .	Substantial air emissions or deterioration	of ambient air qua	slity?					X	
ħ.	The creation of objectionable odors?			•		t.		X	
c.	Alteration of air movement, moisture or tem	perature, or\nny cl	hange in clin	nete, either k	ocally or regionally?		<del></del>		X
3. W	ater. 'Yill the proposal rasult in:				*				
a.	Changes in currents, or the course or direct	ction of water mov	rements, in e	ither marine	or fresh waters?				X
b.	Changes in absorption rates, drainage:pa	tierns ür the rate	and amount	of surface	vater runoff?			- <b>X</b> -	-
C.	Alterations to the course or flow of flood	walersiž						#cMmap	_¥_
đ.	Change in the amount of surface water in	Lan, water body?	,				******	*	<u> </u>
	Discharge into surface waters, or in any,	alteration of surfa	icié watér qu	uality, includi	ng:but not limited to te	mperaturii,		-	
dissol	red oxygen or turbidity?				-		<del></del>	******	<u>_X</u> _
f.	Alteration of the direction or rate of flow of	of ground-waters?						<del></del>	<del>- X</del> -
	Change in the quantity of ground waters, r by cuts or excavations?	either through di	rect addition	ns-or withdra	wals or through interce	ption of an	<u></u>		<u> </u>
h	Substantial reduction in the amount of wa	rter otherwise ava	ilable for pu	blic water s	upplies?		<u></u> -	******	<u>x</u>
£	Exposure of people or property to water r	elated hazards su	uch as flood	ing or tidál v	veives?"	٠			<u>x</u>
4. PI	ant Life. Will the proposal result in:								
a. plants	Change in the diversity of species, or numb?	er.of any species	of plants (in	cluding trees	s, skrubs, grass, crops, a	nd aquatik:		<del></del>	<u>x</u>
b.	Reduction of the numbers of any unique,	rare or.endangere	ed:spečies d	f.plants?			-	, <u></u>	<u>x</u>
c.	Introduction of new species of plants into	an arèa, or in a	barrier to t	he normal r	plenish CA SPEAC	A@Cies!	1/		<u>X</u> .
			•	•	MM 1707-04.0	· · · · · · · · · · · · · · · · · · ·	28	17	

		YES MAN	MBE NO
	d. Reduction in acreage of any agricultural crop?		<u>X</u> _
_	Animal title Will the proposal result int		
Ô	Change to the dwersty of species, or numbers of any species of animals (birds, land animals including reptiles, fait)	and:	<u> </u>
she	nellish, benthic organisms or insects) c	,	X
	b. Seduction of the numbers of any unique, rare or endangered species of animals?	محمد محمد	X
	c. Introduction of new species of animals into an area, or result in a barrier to the migration or movement of anim	1 <b>8</b> 15 {	. X
	d. Detenoration to existing fish or wildlife habitat?		
6.	Noise. Will the proposal result in:	3*	
	a. Increases in existing noise levels?	-	X
	b. Exposure of people to severe noise levers?	م س	
~	the proposal strocking new bold of place?	<u> </u>	
7	Will the economic explicing a substantial altification of the present or plantied land use of an area?	-	<u>x</u>
8.	A December 1 Mill the proposed result fit.		
9.			X .
	a. Increase in the rate of use of any natural resources?	<del></del>	× X
	b. Substantial depletion of any nonrenewable natural rescurce?	but	
10.	Description of Upset. Does the proposal involve a risk of an explosion or the release of hazardous substances (including of limited to, oil, posticides, chemicals or radiation) in the event of an accident of appared conditions?		<b>I</b>
11	Will the graphed distribution, density, or growth rate of the human population of an ar	rea? ~ —— ;	
	the second affect existing bottsing or create a demand for additional housing?	- Carpenterine -	<u>X</u>
12	A Classickian Will the proposal result in:		
13	a delicas additional subjection movements	<u>x</u> -	
	The section (applitude or demand for new parking?	و <del>شینب</del> ه	<u>x</u>
		حميضيت	<u> </u>
	c. Substantial impact upon existing transportation systems?		<u>X</u>
	d. Alterations to present patterns of circulation or movement of people and/or goods?	, <del>, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</del>	<u> </u>
	e. Alterations to waterborne, rail or air traific?		<u>x</u>
	f. Increase in walfic hazards to motor vehicle bicyclists or pedestrians?	es kī	7
14 a	14. Public Services. Will the proposal have an effect upon, or result in a need for new or altered governmental service any of the following areas:		<b> X</b>
	a. Fire protection?		- Y
	b. Police protection?	-	x_
	c. Schools?		
	Parks or other récreational facilities?		_ <del></del>
	e. Maintenance of public facilities, including roads?		
	f. Other governmental services?	ا ميکيست	
1	15. Energy. Will the proposal result in:		
	a lise of substantial amounts of fuel or energy?		X_
	b Substantial increase in demand upon existing sources of energy, or require the development of new sources of en	ergy?	<del>X</del> -
_	16. Utilities. Will the proposal result in a need for new systems, or substantial alterations to the following utilities:		
			<u> x</u>
-	a. Power or natural gas?	******	<u> </u>
	b Communications systems?	477	<b>丁</b> 🎽
	c. Water?	36 - 3 / 32 0 <b>2</b> 4 0	<u> </u>
	d Sewer or sectic tanks?	_ Kulx	
		The second secon	F 13

		YES	MAYBE	NO
	e. Storm water drainage?		آبيت	<u>X</u>
	7. Solid waste and disposal?		*********	<u> </u>
	17. Human Health. Will the proposal result in:	:	•	-
	a. Creation of any health hazard or potential hashth hazard (excluding mental health)?		<del>-</del>	<u>x</u>
	b. Exposure of people to potential health hazards?		<del></del>	X
	18. Assthetics. Will the proposal result in the obstruction of any scenic vista or view open to the public, or will the proposal result in the creation of an aesthetically offensive site open to public view?	·	X	<del></del>
	19. Recreation. Will the proposal result-in-an impact upon the quality or quantity of existing-recreational opportunities?		- <del>-</del> -	X
	20. Archeological/Historical. Will the proposal result in an alteration of a significant archeological or historical site, structure, object or building?	-		<u>x</u>
	21. Mandatory Findings of Significance.		•	-
	a. Does the project have the potential to degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self sustaining lovels, threaten to eliminate a plant or animal community, reduce the number or restrict the range of a rare or endangered-plant or animal or eliminate important examples of the major periods of California history or piculatory?			X
	b. Does the project have the potential to actieve short-term, to the disadvantage of long-term; environmental goals? (A short-term impact on the environment is one which occurs in a relatively brief, definitive period of time while long-term impacts will endure well into the future.)	Victoria de la constanta de la	************************	<u>x</u>
	c. Does the project have impacts which are individually limited, but cumulatively considerable? (A project may impact on two or more separate resources with a use impact on each resource is relatively small, but where the effect of the total of those impacts on the environment is significant.)	_, ,	,	x
	d. Does the project have environmental effects which will cause substantial adverse effects on human beings either directly or indirectly?		-	<u>x</u>
111.	DISCUSSION OF ENVIRONMENTAL EVALUATION		•	
	SEE ATTACHMEN'É			
	•			
	•	*		
	Q 1878 + 0.6			
	Checklist Prepared By: Desiral (1) Deutemme Sterment De	ئـــــ ا		<del>, ,</del>
<b>!V.</b>	DETERMINATION			
	On the free of this patiel augustice			
	On the basis of this initial evaluation:	- 	naved	
	I find the proposed project COULD-NOT have a significant effect on the environment, and a NEGATIVE DECLARATION w  I find that although the proposed project could have a significant effect on the environment, there will not be a significant affect the mitigation measures described on an attached sheet have been added to the project. A NEGATIVE DECLARATION W	ct in this	case bec	ause )
	I find the proposed project MAY have a significant effect on the environment, and an ENVIRONMENTAL IMPACT REPORT			3
	Date 10/1/81 12 12 12 13 14 15 15 15 15 15 15 15 15 15 15 15 15 15	17	13	4
	GEOTHERMAL MENALTERMAL PERV	.25	19	T

#### DISCUSSION OF ENVIRONMENTAL EVALUATION

- 1b,c,e Only minox impacts from topographic alteration and construction-induced erosion are anticipated due to the proposed sites, specific locations, and very short access routes.
- Substantial deterioration of the ambient air quality or the creation of objectionable odors are not expected, at the exploratory phase, to occur at a level significant to the local area. If, however, a geothermal resource is encountered, there is a possibility of some temperary venting of H2S. Therefore, the applicant has agreed to develop in H2S contingency plan, continuously monitor effluent gases at the wellhead, report gas analyses, and to comply with all applicable rules and regulations of those governmental agencies having jurisdiction in this area.
- Any changes in absorption rates, drainage patterns or the rate and amount of surface water runoff should be of minimal impact due to the relatively small surface and involved along with the use of good engineering design and construction practices.
- There will be a temporary increase in noise levels during drilling, which is expected to take to more than 6 weeks per well. The applicant has agreed to construct sound shield barriers, if necessary, which should mitigate the possibility of exceeding the maximum allowable noise level of 65 dba at a 1/2 mile distance from the site. If complaints of excessive noise should arise, continuous sound level measurements should be made until excessive noise has been adequately mitigated.
- If night drilling is permitted by the hospital administration, there will be a localized temporary increase in light and glare; however, dwelling areas and public thoroughfares appear to be shielded from the proposed drill sites by land forms and vegetation.
- 9a If a geothermal resource is found, it could result in the increased use of a natural resource which is considered a desirable alternative energy source.
- Risk of an explosion is considered slight since all drilling operations will be carried out in accordance with applicable rules and regulations of the California Division of Oil and Gas, which include the required installation of blowout prevention equipment.
- 13a.f Temporary increases in vehicular movement and potential traffic hazards can be mitigated by the applicant developing an appropriate safety program for vehicle operations and by implementing standard safety techniques, such as the use of warning vehicles preceding wide loads.
- 18 Temporary siting of a drill rig may be aesthetically offensive to some, however, the proposed drill sites appear to be shielded from public view by land forms and vegetation.

CALEMOAR PAGE 174
MINUTE PAGE 2820

#### PROJECT DESCRIPTION

#### INTRODUCTION

Exploration Engineering, Inc. proposes to drill a geothermal exploratory test well at each of up to as many as five proposed sites. These sites are located on the grounds of Sonoma State Hospital near the town of Glen Ellensin Sonoma County. The purpose of the project is to discover and evaluate the characteristics of the geothermal resource which may be encountered in the project area.

Public information data pertinent to the 1,670 acre hospital property was reviewed, including prior geologic mappings and groundwater studies. Sonoma State Hospital files and maps and previous geochemical data were reviewed. Exploration Engineering performed area recognizance and detailed specific site geotechnical studies including a series of 1 to 100 foot auger sampler holes to confirm foundation conditions disclosed by detailed mapping and to provide well site design recommendations.

#### DRILL SITE DESIGN

All sites will be cleared and leveled. Clearing shall consist of growth, such as grasses, weeds and other vegetation and debris, and the disposal of such material designated for removal. The topsoil may be stockpiled for later spreading over cut and fill areas to enhance revegetation. The removal of any large brush or trees will not be necessary on any of the sites. Site number 2 is located within an abandoned seway treatment plant and no site work will be necessary except for the removal of garbage.

The well pad layout is in the shape of an L. At the inside of the L corner, the pad will be excavated to depths as much as 3 feet below ground surface. This will provide a rock foundation for the drill rig, eliminating the possibility of differential settlement from loads imposed by the drill string. Material derived from such excavations will be used to construct berns outside the drillsite area for drainage control.

All well pads shall be constructed to drain toward the cut or up slope side of the pad on a slope of approximately two feet per hundred feet. A drainage system designed in accordance with the "standards" set by the California Department of Transportation shall be provided to adequately carry away water collected on the surface of the locations as well as water intercepted from upper slopes and natural drainage systems. The drainage system will consist of ditches on the up slope perimeter of drill pads. These ditches will be sloped to drain at a gradient between 1% and 2% or slightly greater depending on a qualified field engineer's final analysis. Sand tement filled bags and stones shall be installed as energy dissipators, where required, to reduce flow velocities and prevent erosion. All drainage will be conducted to natural drainage systems and provided with settling basins at final exit in accordance with above standards.

A fence or suitable enclosure will be constucted around the irill size in accordance with hospital requirements. Sound shields will be constructed if necessary.

CALENDAR PAGE 175
MINUTE PAGE 2821

Drilling supplies will be mobilized to the location on a 40 foot semi-trailer to be unloaded on pallets and covered for later use. A light mobile drilling plant and attendant water truck will be mobilized to location. A 40- foot hole will be drilled and 30 foot conductor casing will be set. After which time the light drilling plant and water truck will leave location. A large drilling plant and accompanying support machinery will then be mobilized to the location. The drilling plant and accompanying support machinery will consist of a draw works and hoisting derrick, two mud pumps, and a rotary table, each of which will be powered by a 871 Detroit diesel or equivalents. a semi-trailer mounted fuel storage tank, two semi-trailer mounted portable mud tanks along with mixing and conditioning equipment, water storage tanks. blowout prevention equipment, and pipe and pipe racks. The rig will spud in and drill on a 24 hour a day basis. A nontoxic bentonite based drilling fluid will be used for the drilling process. The cuttings circulated from the borehole during the drilling operation will be removed from the location and disposed of in accordance with applicable state and county regulations.

Upon completion of a well, the drilling equipment will be removed from the location. A temporary well house will be constructed for testing purposes. Drill site cuts and other areas exposed by grading shall be revegetated with grasses and/or woody plants and trees as determined and approved by a qualified field engineer.

## SITE DESCRIPTION

## Topography SS #1

Drill site SS #1 is located in the southeast corner of a dry pasture of approximately 160 acres used for seasonal grazing of animals. Topography of the immediate drill site area is gently sloping down from the elevation of 250 feet to a low of approximately 235 feet in the south central part of the pasture. Elevation of the hill tops surrounding the drill site area from west, north and east are 360 feet, 440 feet, and 480 feet respectively. Access to the general site area is by Sonoma State Hospital owned paved roads.

#### Topography SS #2

Drill site SS #2 is located in ruins of an abandoned sewage treatment plant. The foundation of which was graded to bedrock prior to construction and will provide the foundation for the drilling. The topography of the drill site area located at the south eastern toe of a mound which rises from a low of 200 foot elevation to a high of 360 feet. The abandoned sewage treatment plant is located at an approximate elevation of 242 feet, and accessable by Sonoma State Hospital owned paved roads.

#### Topography SS #3

Drill site SS #3 is located at approximate elevation of 325 feet on the eastern toe of the Sonoma mountains approximately 150 feet north of the natural drainage system of Mill Creek in an area previously used by Sonoma State Höspital for employee housing. The site is stratigraphically located very near to the main boiler room of Sonoma State Hospital for direct application purposes. The site is accessable by Sonoma State Hospital owned paved roads.

CALENDAR PAGE 176 2822

## Topography SS #4

Drill site \$5 #4 is located at approximate elevation of 320 feet and is spaced approximately 90 feet south of drill site \$5 #3 in an area previously used by Sonoma State Hospital for employee housing. The site is stratigraphically located very near the main boiler room of Sonoma State Hospital for direct application purposes. The site is accessable by Sonoma State Hospital owned payed roads.

#### Topography SS #5

Drill site #5 is located at the approximate elevation of 270 feet on the eastern toe of the Sonoma moutains. It is approximately midway between the natural drainage systems of Ashbury Creek to the north and Mill Creek to the south. The site is next to a maintenance shop within the developed hospital service area and drains into the hospital's drainage system.

### Geologic and Foundation Conditions

Geologic and foundation conditions at the drill sites were determined by onsite investigations and examination of 1968 U.S. Geological Survey maps, map series #MF-483. Faults and suspected concealed faults are mapped throughout the drill site area generally trending northwest to southeast. However, none of the proposed drill sites evidence shearing, faulting, or landslide activity. A thin organic soil exists over drill sites SS #1, SS #3, SS #4, and SS #5. The exposed formation is by USGS classification QTng described as the Huichica (pleistocene) and Glen Ellen formations. No evidence was disclosed to indicate any of the faults or shear zones in the drill site areas to be active or to have had movement during Quaternary.

#### Croundwater

There is no evidence of groundwater at any of the five proposed drill sites. It is anticipated, however, that groundwater zones may be encountered while drilling. This will be dealt with by using procedures designed to protect and preserve groundwater as specified and required by state and county agencies whose agents will be making on-site investigations.

CALBIDAR PAGE 177

Approximate drill sites selected by applicant and hospital staff

W40248

GLEN ELLEN QUADRANGLE
CALIFORNIA—SONOMA CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)
SE T-SANTA-HOLA 15' GUADRANGLE

