#### MINUTE ITEM

This Calendar Item No. 655 was approved as Minute Item No. 555 by the California State Lands Commission by a vote of 3 to 6 at its 6-19-92 meeting.

## CALENDAR ITEM C55

A 8 06/19/98
PRC 7261.9
PRC 7983.9
PRC 6002.1
D. Jones

#### AMENDMENT OF LEASE

#### LESSEE:

City of West Sacramento 1951 South River Road West Sacramento, California 95691

#### AREA, LAND TYPE, AND LOCATION:

3.2 acres, more or less, of sovereign lands in the Sacramento River, near the City of West Sacramento, Yolo County.

#### **AUTHORIZED USE:**

Open space, public access, preservation and enhancement of riparian habitat as depicted in the Landscape Planting Plan prepared by The HLA Group dated August 12, 1997; as analyzed in the Mitigated Negative Declaration entitled "West Sacramento Riverfront Improvements" dated August 1996", a levee structure and the "Construction Plans for West Sacramento Riverfront Improvement, dated August 12, 1997, excluding the public fishing pier/boat dock".

#### LEASE TERM:

25 years, beginning August 1, 1997.

#### CONSIDERATION:

The public use and benefit; with the State reserving the right at any time to set a monetary rent if the Commission finds such action to be in the State's best interest.

#### PROPOSED AMENDMENT:

The Amendment enlarges the lease area to include sovereign lands which will be used in connection with Phase 2 of the City of West Sacramento's Riverfront Park Improvement Project. All other terms and conditions of the lease shall remain in effect without amendment.

CALENDAR PAGE 269
MINUTE PAGE 003492

## CALENDAR ITEM NO. C55 (CONT'D)

#### OTHER PERTINENT INFORMATION:

- 1. Applicant has the right to use the uplands adjoining the lease premises.
- 2. A Mitigated Negative Declaration and Mitigation Monitoring Program were prepared and adopted for this project by the City of West Sacramento. The California State Lands Commission's staff has reviewed such documents.
- This activity involves lands identified as possessing significant environmental values pursuant to Public Resources Code sections 6370, et seq. Based upon the staff's consultation with the persons nominating such lands and through the CEQA review process, it is the staff's opinion that the project, as proposed, is consistent with its use classification.
- 4. The City of West Sacramento is proposing to establish and maintain a public park and recreation facility along the west bank of the Sacramento River. The park improvements include the area between the Tower Bridge (southerly terminus) and the Broderick Boat Ramp (northerly terminus), between the levee top (western boundary) and the river (easterly boundary). This project is called the West Sacramento Riverfront Improvement Project.

At its August 26, 1997 meeting, the Commission authorized Phase I of this Project which involved the area from the Tower Bridge southerly 900 feet along the top of the levee to the easterly extension of G Street. The authorized uses in Phase I included a levee structure, the preservation and enhancement of riparian habitat as depicted in the Landscape Planting Plan prepared by The HLA Group dated August 12, 1997, open space, and public access. As part of the above-referred-to authorization, the Commission amended the levee structure lease issued to Raley's Corporation (PRC 7261.9) to exclude that portion within the lease which was part of the Riverfront Park Improvement Project and leased that excluded area to the City of West Sacramento under this Lease No. PRC 7983.9.

## CALENDAR ITEM NO. C55 (CONT'D)

The City has now applied to the Commission for Phase 2 of this project which includes that portion not already leased to the City under Lease No. PRC 7983.9 between the Tower Bridge southerly to the extension of E Street.

Staff is proposing to amend its lease with the City (PRC 7983.9) to include the area waterward of PRC No. 7261.9. The description of the sovereign lands for Phase 1 approved on August 26, 1997, under Lease No. PRC 7983.9 will be referred to as Lease Area 1. Technical corrections will be made to the Lease Area 1 description. The sovereign lands for Phase 2 approved at this meeting will be referred to as Lease Area 2. Both lease areas are described on Exhibits A, B-1 and B-2 attached and by reference made a part hereof.

5. In Calendar Item No. C56, the Commission is being asked to approve a sublease of PRC 7261.9 from Raley's Corporation to the City of West Sacramento. If that Item and this Item are approved, the City will have a right to occupy and develop all lands waterward of the ordinary high watermark located at the top of the levee.

#### APPROVALS OBTAINED:

The Reclamation Board, California Department of Fish and Game.

#### **FURTHER APPROVALS REQUIRED:**

U.S. Army Corps of Engineers.

#### **EXHIBITS:**

- A. Site Map
- B-1. Lease Description (two pages)
- B-2. Lease Description (two pages)
- C. Location Map
- D. Mitigation Monitoring Program

#### PERMIT STREAMLINING ACT DEADLINE:

October 9, 1998

### CALENDAR ITEM NO. C55 (CONT'D)

#### **RECOMMENDED ACTION:**

IT IS RECOMMENDED THAT THE COMMISSION:

#### **CEQA FINDING:**

- 1. FIND THAT A MITIGATED NEGATIVE DECLARATION AND A MITIGATION MONITORING PROGRAM WERE PREPARED AND ADOPTED FOR THIS PROJECT BY THE CITY OF WEST SACRAMENTO AND THAT THE COMMISSION HAS REVIEWED AND CONSIDERED THE INFORMATION CONTAINED THEREIN.
- 2. ADOPT THE MITIGATION MONITORING PROGRAM, AS CONTAINED IN EXHIBIT D, ATTACHED HERETO.

#### SIGNIFICANT LANDS INVENTORY FINDING:


FIND THAT THIS ACTIVITY IS CONSISTENT WITH THE USE CLASSIFICATION DESIGNATED BY THE COMMISSION FOR THE LAND PURSUANT TO PUBLIC RESOURCES CODE SECTIONS 6370, ET SEQ.

#### **AUTHORIZATION:**

AUTHORIZE THE AMENDMENT OF LEASE NO. PRC 7983.9, A GENERAL LEASE - PUBLIC AGENCY USE, EFFECTIVE MAY 1, 1998, TO AMEND THE LEASE DESCRIPTION TO READ AS SET FORTH IN EXHIBITS B-1 AND B-2 HERETO; ALL OTHER TERMS AND CONDITIONS OF THE LEASE WILL REMAIN IN EFFECT WITHOUT AMENDMENT.

CALENDAR PAGE 269.3

MINUTE PAGE 003495



any State interest in the subject or other property.

DESCRIPTION

LEASE AREA 1

ALL THAT CERTAIN REAL PROPERTY SITUATED IN THE CITY OF WEST SACRAMENTO, COUNTY OF YOLO, STATE OF CALIFORNIA, DESCRIBED AS FOLLOWS:

COMMENCING AT THE POINT OF INTERSECTION OF THIRD STREET AND "G" STREET, FORMERLY MARGARET STREET, AS SHOWN ON THE OFFICIAL MAP OF THE TOWN OF WASHINGTON RECORDED IN SOOK "I" OF DEEDS AT PAGE 264 YOLO COUNTY RECORDS, FROM WHICH THE POINT OF INTERSECTION OF THIRD AND "E" STREETS BEARS NORTH 08°28'26" EAST 832.51 FEET: THENCE FROM SAID POINT OF COMMENCEMENT SOUTH 23°45'02" EAST 956.64 FEET TO A POINT ON THE "ORDINARY HIGH WATER AGREEMENT LINE". AS SHOWN ON EXHIBIT A OF BOOK 2028 PAGE 169, YOLO COUNTY RECORDS, AND THE TRUE POINT OF BEGINNING: THENCE ALONG SAID ORDINARY HIGH WATER AGREEMENT LINE THE FOLLOWING 9 COURSES: 1) NORTH 40°45'03" EAST 49.51 FEET: 2) ALONG A TANGENT CURVE TO THE LEFT WITH A RADIUS OF 281.00 FEET, AN ARC LENGTH OF 151.42 FEET. THROUGH A CENTRAL ANGLE OF 30°52'25"; 3) NORTH 09°52'38" EAST 81.28 FEET; 4) ALONG A TANGENT CURVE TO THE RIGHT WITH A RADIUS OF 419.00 FEET. AN ARC LENGTH OF 79.78 FEET. THROUGH A CENTRAL ANGLE OF 10°54'33": 5) NORTH 20°47'11" EAST 140.80 FEET: 6) ALONG A TANGENT CURVE TO THE RIGHT WITH A RADIUS OF 500.00 FEET, AN ARC LENGTH OF 58.13 FEET. THROUGH A CENTRAL ANGLE OF 06°39'40"; 7) ALONG A TANGENT CURVE TO THE LEFT WITH A RADIUS OF 325.00 FEET, AN ARC LENGTH OF 138.60 FEET, THROUGH A CENTRAL ANGLE OF 24°26'04": 8) ALONG A TANGENT CURVE TO THE RIGHT WITH A RADIUS OF 500.00 FEET, AN ARC LENGTH OF 47.03 FEET. THROUGH A CENTRAL ANGLE OF 05°23'20"; AND 9) NORTH 08°24'07" EAST 106.04 FEET; THENCE LEAVING SAID ORDINARY HIGH WATER AGREEMENT LINE SOUTH 81°35'53" EAST 5.00 FEET: THENCE PARALLEL WITH AND 5.00 FEET EASTERLY OF SAID ORDINARY HIGH WATER AGREEMENT LINE THE FOLLOWING 8 COURSES: 1) SOUTH 08°24'07" WEST 106.06 FEET; 2) ALONG A TANGENT CURVE TO THE LEFT WITH A RADIUS OF 495.00 FEET, AN ARC LENGTH OF 46.56 FEET, THROUGH A CENTRAL ANGLE OF 05°23'20": 3) ALONG A TANGENT CURVE TO THE RIGHT WITH A RADIUS OF 330.00 FEET. AN ARC LENGTH OF 140.73 FEET. THROUGH A CENTRAL ANGLE OF 24°26'04"; 4) ALONG A TANGENT CURVE TO THE LEFT WITH A RADIUS OF 495.00 FEET, AN ARC LENGTH OF 57.55 FEET, THROUGH A CENTRAL ANGLE OF 06°39'40": 5) SOUTH 20°47'11" WEST 140.80 FEET; 6) ALONG A TANGENT CURVE TO THE LEFT WITH A RADIUS OF 414.00 FEET, AN ARC LENGTH OF 78.83 FEET, THROUGH A CENTRAL ANGLE OF 10°54'33": 7) SOUTH 09°52'38" WEST 81.28 FEET; AND 8) ALONG A TANGENT CURVE TO THE RIGHT WITH A RADIUS OF 286.00 FEET, AN ARC LENGTH OF 114.37', THROUGH A CENTRAL ANGLE OF 22°54'44"; THENCE LEAVING SAID PARALLEL LINE SOUTH 21°33'08" WEST 81.69 FEET; THENCE NORTH 71°35'54" WEST 31.47 FEET TO THE POINT OF BEGINNING, CONTAINING 0,120 ACRES.

EXCEPTING THEREFROM THAT PORTION THEREOF LYING WITHIN THE BOUNDARIES OF THAT CERTAIN PARCEL ENTITLED "GENERAL LEASE -

Page 1 of 2

This exhibit is solely for purposes of generally defining the area to be leased, and is not intended to be, nor shall it be construed as, a waiver or limitation of any State interest in the subject or other property.

Exhibit B-1

CALENDAC 7083.9 269:5

MINUTE PAGE

003497

LEASE AREA 1 (CONTD)

COMMERCIAL USE" DESIGNATED PRC 6002.1 APPROVED BY THE STATE LANDS COMMISSION ON DECEMBER 17. 1981, EXECUTED MARCH 18. 1982. AS SUBSEQUENTLY AMENDED AT VARIOUS TIMES.

THE BASIS OF BEARINGS OF THIS DESCRIPTION IS CITY OF WEST SACRAMENTO MONUMENTS A14-01 AND A13-T1, BASED ON NORTH AMERICAN DATUM 1983, CALIFORNIA HIGH PRECISION GEODETIC NETWORK 1992. CALIFORNIA STATE COORDINATE SYSTEM ZONE 2.



Exp. 6/30/2000

Page 2 of 2

This exhibit is solely for purposes of generally defining the area to be leased, and is not intended to be, nor shall it be construed as, a waiver or limitation of any State interest in the subject or other property.

Exhibit B-1

CALEREC P. 7283.9 269.6

MINUTE PAGE 003498

DESCRIPTION

LEASE AREA 2

ALL THAT CERTAIN REAL PROPERTY SITUATED IN THE CITY OF WEST SACRAMENTO, COUNTY OF YOLO, STATE OF CALIFORNIA, DESCRIBED AS FOLLOWS:

COMMENCING AT THE POINT OF INTERSECTION OF THIRD STREET AND "G" STREET, FORMERLY MARGARET STREET. AS SHOWN ON THE OFFICIAL MAP OF THE TOWN OF WASHINGTON RECORDED IN BOOK "I" OF DEEDS AT PAGE 264 YOLO COUNTY RECORDS. FROM WHICH THE POINT OF INTERSECTION OF THIRD AND "E" STREETS BEARS NORTH 08°28'26" EAST 832.51 FEET; THENCE FROM SAID POINT OF COMMENCEMENT SOUTH 23°45'02" EAST 956.64 FEET AND SOUTH 71°35'54" EAST 37.63 FEET TO THE TRUE POINT OF BEGINNING. SAID POINT BEING THE SOUTHEAST CORNER OF THAT PROPERTY DESCRIBED AS LEASE REMAINDER: THENCE ALONG THE EASTERLY LINE OF SAID LEASE REMAINDER THE FOLLOWING 15 COURSES: 1) NORTH 38°29'48" EAST 40.60 FEET: 2) ALONG A TANGENT CURVE TO THE LEFT WITH A RADIUS OF 400.00 FEET, AN ARC LENGTH OF 181.51 FEET. THROUGH A CENTRAL ANGLE OF 25°59'58"; 3) NORTH 12°29'50" EAST 95.18 FEET; 4) ALONG A TANGENT CURVE TO THE RIGHT WITH A RADIUS OF 1000.00 FEET, AN ARC LENGTH OF 191.42 FEET. THROUGH A CENTRAL ANGLE OF 10°58'03"; 5) ALONG A REVERSE CURVE TO THE LEFT WITH A RADIUS OF 1000.00 FEET, AN ARC LENGTH OF 73.75 FEET. THROUGH A CENTRAL ANGLE OF 04°13'32": 6) NORTH 19°14'21" EAST 128.17 FEET: 7) ALONG A TANGENT CURVE TO THE LEFT WITH A RADIUS OF 400.00 FEET, AN ARC LENGTH OF 109.20 FEET, THROUGH A CENTRAL ANGLE OF 15°38'28"; 8) ALONG A REVERSE CURVE TO THE RIGHT WITH A RADIUS OF 150.00 FEET, AN ARC LENGTH OF 51.74 FEET, THROUGH A CENTRAL ANGLE OF 19°45'43"; 9) ALONG A REVERSE CURVE TO THE LEFT WITH A RADIUS OF 175.00 FEET. AN ARC LENGTH OF 87.29 FEET. THROUGH A CENTRAL ANGLE OF 28°34'43": 10) ALONG A REVERSE CURVE TO THE RIGHT WITH A RADIUS OF 250.00 FEET, AN ARC LENGTH OF 234.58 FEET, THROUGH A CENTRAL ANGLE OF 30°50'38"; 11) ALONG A REVERSE CURVE TO THE LEFT WITH A RADIUS OF 150.00 FEET, AN ARC LENGTH OF 44.45 FEET, THROUGH A CENTRAL ANGLE OF 16°58'43": 12) NORTH 08°38'48" EAST 167.36 FEET: 13) ALONG A TANGENT CURVE TO THE RIGHT WITH A RADIUS OF 500.00 FEET. AN ARC LENGTH OF 48.05 FEET, THROUGH A CENTRAL ANGLE OF 05°30'24"; 14) ALONG A REVERSE CURVE TO THE LEFT WITH A RADIUS OF 300.00 FEET. AN ARC LENGTH OF 119.91 FEET, THROUGH A CENTRAL ANGLE OF 22°54'03"; AND 15) ALONG A REVERSE CURVE TO THE RIGHT WITH A RADIUS OF 250.00 FEET, AN ARC LENGTH OF 166.18 FEET, THROUGH A CENTRAL ANGLE OF 38°05'11": THENCE LEAVING SAID EAST LINE OF SAID LEASE REMAINDER SOUTH 81°31'38" EAST 85.43 FEET TO THE MEAN 18 FOOT CONTOUR LINE OF THE WESTERLY BANK OF THE SACRAMENTO RIVER; THENCE ALONG SAID 18 FOOT CONTOUR LINE THE FOLLOWING 7 COURSES; 1) SOUTH 08°28"21" WEST 283.44 FEET; 2) SOUTH 00°26'31" WEST 170.66 FEET; 3) SOUTH 15°59'55" WEST 157.65 FEET; 4) SOUTH 10°26'25" WEST 193.94 FEET; 5) SOUTH 15°30'12" WEST 145.00 FEET; 6) SOUTH 21°38'31" WEST 424.15 FEET; AND 7) SOUTH 23°39'16" WEST 270.00 FEET;

Page 1 of 2

This exhibit is solely for purposes of generally defining the area to be leased, and is not intended to be, nor shall it be construed as, a waiver or limitation of any State interest in the subject or other property.

Exhibit B-2

CALERIA CP7983.9269.7

MINUTE PAGE

003499

LEASE AREA2 (CONTD)

THENCE LEAVING SAID 18 FOOT CONTOUR NORTH 71°35'54" WEST 67.37 FEET TO THE POINT OF BEGINNING. CONTAINING 3.074 ACRES.

EXCEPTING THEREFROM THAT PORTION THEREOF LYING WITHIN THE BOUNDARIES OF THAT CERTAIN PARCEL ENTITLED "GENERAL LEASE - COMMERCIAL USE" DESIGNATED PRC 6002.1, APPROVED BY THE STATE LANDS COMMISSION ON DECEMBER 17, 1981, EXECUTED MARCH 18. 1982. AS SUBSEQUENTLY AMENDED AT VARIOUS TIMES.

THE BASIS OF BEARINGS OF THIS DESCRIPTION IS CITY OF WEST SACRAMENTO MONUMENTS A14-01 AND A13-T1, BASED ON NORTH AMERICAN DATUM 1983. CALIFORNIA HIGH PRECISION GEODETIC NETWORK 1992. CALIFORNIA STATE COORDINATE SYSTEM ZONE 2.

STAPE OF SAUGONS

STAPE OF SAUGONS

GRAP OF SAUGONS

GRAP

Page 2 of 2


his exhibit is solely for purposes of generally defining the area to be leased, and is not intended to be, nor shall it be construed as, a waiver or limitation of any State interest in the subject or other property.

Exhibit B-2

CALERR CP7983.9 269.8

MINUTE PAGE

003500



# WEST SACRAMENTO RIVERFRONT PARK IMPROVEMENTS MITIGATION MONITORING PROGRAM JANUARY 15, 1997

#### INTRODUCTION

The City of West Sacramento (City) has identified several potentially significant environmental impacts that may occur with implementation of the Riverfront Park Improvement Project. The Mitigated Negative Declaration prepared for this project documents the impacts and mitigation measures available to reduce, avoid, or otherwise minimize these impacts. This Mitigation Monitoring Program (MMP) is intended to be used by the City to ensure that each mitigation measure, adopted as a condition of project approval, will be implemented. This MMP meets the requirements of the California Environmental Quality Act (CEQA), as amended, which mandates preparation of monitoring provisions for the implementation of mitigation adopted as part of a project approval.

The Mitigation Monitoring Program (NIMP) will be adopted as part of the project approval by the West Sacramento City Council.

#### ROLES AND RESPONSIBILITIES

It is the responsibility of the City to adopt a monitoring program when conditions of project approval have been added or the project changed in order to mitigate significant environmental effects. It is the responsibility of the Community Development Director (Director) or his/her designee to ensure preparation and adoption of the monitoring program, and for coordination and implementation of the program.

City staff responsible for monitoring the implementation of mitigation measures may include: Community Development Department (Building, Engineering, and Planning Divisions), Police Department, Fire Department, the developer, and the construction contractor, as noted in this MMP. The Building Division and other City departments, agencies, and divisions of jurisdiction will assist in ensuring compliance with those mitigation measures related to project design, construction, and occupancy including, but not limited to, plan checking, site preparation, construction, and final inspection activities.

If permits of other agencies are required, the agency of jurisdiction will be the primary responsible agency for implementing certain mitigation measures, with the Community Development Department as the secondary responsible agency.

### ENFORCEMENT AND PENALTIES OF NON-COMPLIANCE

If the Director is made aware of any violations of the MMP, the Director will within three (3) working days of receipt of such a report:

EXHIBIT D PRC 7983.9 CALENDAR PAGE 269.10
MINUTE PAGE 003502

- Directly notify the applicant or developer (or their representative) by telephone of the violation and attempt to obtain voluntary compliance; or
- Notify the applicant or developer (or their representative) of the violation in writing and request voluntary compliance.

If the above steps do not result in resolution to the Director's satisfaction, the Director may:

- Refer the violation to the Planning Commission and/or City Council for possible revocation of entitlements; or
- Refer the violation to the City Attorney to initiate the filing of misdemeanor charges.

If a mitigation measure is required for inclusion in building or site plans, a building permit or any other permit will not be issued by the Building Division until compliance is verified by the Director. If a mitigation measure is to be implemented during site preparation and project construction, non-implementation or other violation will result in either notification of the violation by the Director as described above, or a stop work order issued by the Building Division until compliance is achieved. Mitigation measures required prior to occupancy will be checked by the Director prior to issuance of occupancy permits by the Building Division. Violations of an adopted mitigation measure subsequent to building completion and occupancy shall result in one or more of the following actions:

- Written notification and demand by the Director for correction;
- Forfeiture of any bond trust account, or other financial assurance,
- · Action to recover funds assured under a letter of credit; or
- Initiate nuisance abatement procedure against the violator with the intent of placing a lien against the real property subject to the violation in the amount necessary to correct the violation.

#### INTERPRETATION AND DISPUTE RESOLUTION

The purpose of each mitigation measure is to reduce, or mitigate, a specific significant impact of the project, as identified in the Mitigated Negative Declaration. The mitigation measures included in this MMP were required by the City Council as conditions of approval of the Riverfront Park Improvement Project. Therefore, any major modification of the mitigation measures contained in this MMP will require the review and approval of the City Council.

Prior to implementation of the mitigation measure, the applicant or developer, and the Director may have different interpretations of how a particular mitigation measure is to be implemented. The following procedure is provided where clarification or minor modification of a particular mitigation measure is needed.

The Director shall review any request from the party carrying out the mitigation measure through project design and/or construction to clarify the implementation requirements of a particular

CALENDAR PAGE 269.11
MINUTE PAGE 003503

measure. The request must be in writing and must clearly identify the mitigation measure, the significant impact that it is intended to mitigate, and the reason why the clarification is needed. The Director shall respond verbally or in writing to the requesting party no later than 10 working days of receiving the request. The Director's response shall be in the form of:

- Clarification of the required implementation method based on the Director's interpretation, where the mitigation measure was originally developed or recommended by the Community Development Department; or
- Referral of the request to the appropriate responsible agency who originally developed or recommended the mitigation measure, for a determination of the appropriate implementation method: or
- Referral of the request to the City Council for review and approval, where a major modification of the mitigation measure is requested. Major modification shall include elimination of a measure or change to a measure that substantially reduces its effectiveness in mitigating the related impact.

In all cases, the City's primary concern shall be to implement the mitigation measure in such a manner that it substantially reduces the environmental impact for which it was designed. If alternative mitigation measures are identified during the course of project planning and construction, which would be equally effective in mitigating the identified impacts, substitution of one adopted mitigation measure with an alternative measure shall be permitted, upon review and approval by the Director and any other agency of jurisdiction. Such substitution shall be considered a minor modification and does not require City Council approval.

#### MITIGATION MONITORING PROGRAM CHECKLIST

The following table provides a checklist for monitoring the adopted mitigation measures. Included in the table is a listing of the project's potential impacts, the associated mitigation measures which were adopted by the City Council, corresponding monitoring and reporting requirement, and responsible parties for ensuring implementation. The impacts in the table represent only those impacts which have been determined to be significant in the Mitigated Negative Declaration. Those impacts found to be less than significant and not requiring mitigation do not appear within this Mitigation Monitoring Program.

The impacts and mitigation measures contained herein are taken verbatim from the Mitigated Negative Declaration. Mitigation measures which are identified by the numbers 1 through 4(b) are those project-specific mitigation measures that were developed specifically for the Riverfront Park Improvement Project. The other mitigation measures, identified by a three-digit number system (e.g. "4.3-2") reflect those measures that are carried over from the Washington Specific Plan EIR (the "master EIR" on which the Mitigated Negative Declaration was based).

This checklist shall be retained by the Director and copies provided to the various departments and agencies that have responsibility for implementing and monitoring the mitigation measures.

### Table 1 Mitigation Monitoring Program WEST SACRAMENTO RIVERFRONT PARK IMPROVEMENTS PROJECT

				Monitoring Duration		nsibility
	Impact	Mitigation	One-time	Ongoing	Agency	Verification
ΒIO	ologic <u>ál resources</u>					
4.3-2	2 Construction of the proposed recreation and park facilities could result in the loss of 5.5 acres of tipatian habitat along the Sacramento River.	4.3-2 Impacts to the riparian habitat shall be minimized through implementation of a riparian mitigation program which shall be determined prior to disturbance of riparian habitat through consultation with appropriate regulatory agencies. This mitigation program could include the following suggested measures:	Prior to issuance of a grading permit.	Throughout construction.	City Planning Division City Engineering Division State Lands Commission	Date/Initial:
		(n) Clearing for construction of the promenade and placement of utilities shall be limited to the immediate construction corridor.				
		(b) Implement the following to reduce potential impacts upon the Sacramento River: Project developers within the Plan Area shall comply with General Plan Section VI, Goal A, Policy 7, by requiring specific project developers to develop comprehensive erosion control plans for all projects within the watershed of riparian areas. The plans shall be prepared by a registered civil engineer or a registered professional hydrologist prior to construction to protect water resources from impacts due to siltation and sedimentation generated by project construction. The plans shall be prepared in coordination with the Central Valley Regional Water Quality Control Board, and the City of West Sacramento to assure compliance with applicable NPDES permit requirements for construction activities. The plans shall include a combination of the following Best Management Practices (BMPs), or equally effective measures.	Prior to issuance of a grading permit.		City Engineering Division RWQCB	
MINUTE	CALENDAR	1) If feasible, project construction periods should be limited to the dry months of the year (May through October).  2) If project construction occurs during the rainy season (November through April), sediment traps, barriers, covers or other methods shall be used to reduce crosion.				
E PAGE	159	3) Stopes, both cut and till, shall not be steeper than that recommended following a detailed geotechnical report for the development site.  4) Sediment basins, sediment traps, or similar sediment control Best Management Practices (BMPs) shall be installed before extensive ground alteration operations begin.				

# Tal Mitigation Monitoring Program WEST SACRAMENTO RIVERFRONT PARK IMPROVEMENTS PROJECT

			Monitoring Duration		ısibility
Impact	Mitigation	Onc-time	Ongoing	Agency	Verification
iologicál risources	nika di saman da di pinan kasa sa sa sa di di di pinan da sa di sa d Mangadinan da di pinan kasa sa sa sa sa di di di pinan da sa di di sa di s	,			
	5) Temporary mulching, seeding, or other suitable stabilization measures shall be used to protect exposed areas during construction activities.				
	Exervated materials shall not be deposited or stored where the material could be washed away by stormwater muoth.				
3-3 Construction activities along the riverfront may result in crosion and sedimentation within Sacramento River aquatic habitat.	4.3-3(n) The Washington Specific Plan shall require that grading, trenching, removal of vegetation, ground disturbing activity along the bank or within the Sacramento River shall not be conducted between October 15 and April 15, and all disturbed areas shall be planted or otherwise treated with permanent crosion control techniques prior to November 1. No graded areas shall be allowed to remain unprotected during the rainy senson.	Prior to issuance of a grading permit.	Throughout construction	City Planning Division City Engineering	Date/Initial:
	This provision shall apply to all phases of buildout of the Washington Plan Area.			Division	
	4.3-3(b) Development pursuant to the Washington Specific Planshall implement requirements or provisions specified in any Streambed Alteration Agreement issued by DFG and/or permits issued by the Corps of Engineers. These may include crosion			CDFG	
	control and on-going maintenance to prevent and repair damage caused by construction, placement of siltation barriers.		ļ	COE	
	4.3-3(c) Contractors shall comply with applicable permit requirements, which includes implementation of Best Management Practices (BMPs). BMPs shall include schedules of activities, prohibitions of practices, maintenance procedures, and other management practices to prevent or reduce crosion caused by construction (i.e., straw bale dikes, silt fences, sediment traps, or similar methods).			RWQCB	
Chish ction may result in the all-turbance of Swainson's hawks all-ling he breeding and nesting session is a result of future	4.3-4(a) Swainson's hawk nesting surveys shall be conducted immediately prior to initiation of work that will be performed during the breeding season between March 15 through August 15. A DFG qualified raptor biologist shall be hired to conduct a	Prior to start of grading/ construction.	Throughout construction	City Planning Division	Date/Initial
causing the state of the occur within a 0.5 mile of an active Swainson's hawk nest.	survey within a 0.5 mile radius of the proposed construction site to determine the presence or absence of active nests.			CDFG	

# Table 1 Mitigation Monitoring Program WEST SACRAMENTO RIVERFRONT PARK IMPROVEMENTS PROJECT

			g Duration	Responsibility	
Impact	Mitigation	One-time	Ongoing	Agency	Verification
DIOLOCICAL RESOURCES	Salas antis in the salas and salas a				
: .	4.1-4(b) If an active Swainson's hawk nest is located on or within 0.5 miles of the project site then construction activities shall be deferred until after the adults and young-of-the-year (fledglings) are no longer dependent on the nest site as determined by a qualified biologist; unless, it is determined by DFG that proposed construction activities would not impose impacts that could result in nest failure to Swainson's hawks. During construction, monitoring of active nests shall be conducted (funded by the project groponent). The monitoring shall be done by a DFG approved raptor biologist. Exact implementation shall be coordinated with DFG and will be based upon specific information at the project site.				
	4.3-4(c) If a nest tree is to be removed and fledglings are present, the nest tree may not be removed until September 15 or until the DFO has determined that the young are no longer dependent on the nest tree.				
	4.3-4(d) In the event that a nest is abandoned, despite efforts to minimize disturbance, and if the nestlings are still alive, the project proponent shall contact DFG and, subject to DFG approval fund the recovery and backing (introduction to the wild of captive raptors) of the nestling(s). The project proponent shall consider initiating construction prior to the nesting season to discourage Swainson's bawks from nesting in the vicinity of an upcoming construction area.				
4.3-5 Development could reduce or destroy potential habitat for the valley elderberry longhorn beetle.  MINUTES OF THE PROPERTY OF THE PROPERT	4.3-5 As a condition of project approval, all project proponents in the area where elderberry shrubs have been identified shall:  (a) Consult with the USFWS to confirm if the on-site elderberry shrubs are considered suitable habitat for the VELB. Should the USFWS not consider the on-site elderberry shrubs as VELB habitat, then no further mitigation shall be required; or	Prior to start of grading/ construction.	Throughout construction	City Planning Division USFWS	Date/Initial:

## Tab Mitigation Monitoring Program WEST SACRAMENTO RIVERFRONT PARK IMPROVEMENTS PROJECT

			Monitorie	g Duration	Responsibility	
	Impact	Miligation	One-time	Ongoing	Agency	Verification
nioi	LOGICAL RESOURCES					
		(b) If the USFWS determines the on-site elderberry shribs to be VELB babitat, then the project proponent shall either avoid disturbance or obtain the necessary incidental take permit from the USFWS pursuant to the Federal Endangered Species Act. The project proponent shall implement all the terms and conditions of the USFVS incidental take permit. Typically, VELB take permits require the transplant of the impacted shribs to a USFWS approved mitigation site and compensation plantings of up to a 5:1 ratio of elderberry plantings to elderberry stems greater than one inch in diameter that are impacted. Planting of indigenous riparian species is also required to accompany the elderberry replacement plantings.				
		(c) A potential mitigation measure for VELB impacts would be participation in the Yolo County Habitat Conservation Plan (HCP). Participation will depend on the timing of project construction and the timing of the completion of the HCP. By current agreements with Yolo County and the USFWS, all federally-listed species will need to be avoided until the HCP is complete and adopted by the USFWS and local land use agencies. Therefore, if the VELB habitat is going to be affected prior to the completion of the HCP and necessary approvals, the project proponent will need to obtain a separate permit and implement the required mitigation for this project.				
1,	Potential disturbance to the elderberry shrub near the intersection of Third and B Streets.	3. The City shall implement the following protective measures for elderberry shrubs and include them in the construction plans and specifications. Before construction activities are initiated, the following measures will be implemented:	Include in construction specs/ prior to start of	Throughout construction	City Engineering Division	Date/Initial
a	(a) Chain-link fencing or a similar construction for placed at least 20 feet outside the dripline of the shrubs. All fencing will be done under direct superqualified biologist.  (b) The fence shall be posted with a sign that real "This area is potential habitat of the valley elderbet beetle, a threatened species, and must not be disturbed by the Federal Endangered Species is protected by the Federal Endangered Species.	(a) Chain-link fencing or a similar construction fencing shall be placed at least 20 feet outside the dripline of the elderberry shrubs. All fencing will be done under direct supervision of a qualified biologist.	construction			
		(b) The fence shall be posted with a sign that reads as follows: "This area is potential habitat of the valley elderberry longhorn beetle, a threatened species, and must not be disturbed. This species is protected by the Federal Endangered Species Act of 1973, as amended. Violators are subject to prosecution, fines, and imprisonment."				

## Table 1 Mitigation Monitoring Program WEST SACRAMENTO RIVERFRONT PARK IMPROVEMENTS PROJECT

			Monitoring Duration		Responsibility	
	Impact	Mitigation	Onc-time	Ongoing	Agency	Verification
IOL	OGICÁL RISOURCES					
		(c) The buffer zone within the fence shall remain off-limits to construction activities, vehicles, wastes, and construction materials.				
		(d) The fence shall remain in place until final construction is complete.				
		(c) Dust-reducing construction measures will be used to minimize the amount of dust near the shrubs. These measures include minimizing the amount of time that surfaces are exposed, sprinkling exposed areas and soil pile with water periodically, and covering soil piles with plastic sheets or tarpaulins to limit disturbance.				
3-6	Construction activities along the riverfront may result in increased turbidity during migratory phase of anatomous salmonids and disturbance to special status resident species spayning habitat.	4.3-6 Implement Mitigation Measures 4.3-3 (a-c) (i.e., avoidance of construction along the bank or within the Sacramento River between October 15 and April 15; implement CDFG Streambed afteration Agreement; and minimizing impacts to fisheries using DMPs).	Prior to start of grading/ construction	Throughout construction	City Planning Division City Engineering Division	Date/Initial:
1.7		4.3-7 The City of West Sacramento shall require mitigation for the loss of significant, heritage, and landmark trees, and certain native oak trees (as defined in the City's Tree Preservation Ordinance) within the Washington Specific Plan Area. Where significant trees, heritage trees, landmark trees, or native oak trees greater than 12 inches diameter at breast height (d.b.h.) in size are lost due to development, they shall be replaced on an inch per inch basis. The recommended replacement ratio is 1:1, or replacement planting of one inch for each inch d.b.h. lost. The planting of street trees within the Plan Area shall be credited towards the need to replace the loss of significant, heritage, landmark and native oak trees.	Planting plan to be approved prior to start of construction.	Replace- ment plantings to occur during project construction	City Planning Division	Date/Initial

269.17

## Table

## Mitigation Monitoring Program WEST SACRAMENTO RIVERFRONT PARK IMPROVEMENTS PROJECT

			Monitoring Duration		Respon	sibility
	Impact	Mitigation	One-time	Ongoing	Agency	Verification
iorog	ICAL RESOURCES					
of	evelopment could result in the loss up to 54 trees, either dend or in or health, in the riverfront park en.	2. The City shall implement the riparian mitigation program, which includes the following:  (n) Replacement of all removed Fremont cottonwood and black willow trees onsite at a 3:1 ratio.  (b) Replacement of all removed black locust trees onsite at a 1:1 ratio. Replacement trees will include Fremont cottonwoods and black willows, but other native riparian tree species found on the project site, such as Oregon ash and box elder, will also be planted.  (c) Riparian plantings will be planted strategically to enhance existing concentrations of riparian vegetation. Plantings will be made on the riverbank to fill in vegetation gaps, to add to SRA cover, and to discourage access to the steeper banks. Plantings will be made on the bench to widen the riparian zone.	Planting plan to be approved prior to start of construction.	Replace- nical plantings to occur during project construction	City Planning Division	Date/Initial:
RSTHE	TICS AND VISUAL QUALITY					. i
.4-5 Po phy	tential for glace resulting from ysical improvements	4 4-5 Include the following glare-related design standard in the final approved version of the Washington Specific Plan.  (b) Bare metallic surfaces such as pipes, flashing, vents, and light standards shall be painted so as to minimize reflectance.	This has been completed.		City Planning Division	Date/Initial:
VIR QUA	Lity				. g.is. William in surrous	
4.6-1 Development would result in the generation of PM <sub>10</sub> during construction activities.		4.6-1 The project proponent shall be responsible for ensuring that contractors include measures to reduce particulate emissions in accordance with the dust control strategies developed by the Yolo Solano Air Quality Management District. Required measures shall include;	Include in all construction contracts.		City Engineering Division	Date/Initial:
MINUTE	ALEN	(a) watering all earth surfaces during clearing, grading, earthmoving, and other site preparation activities in late morning and at the end of the day;				
a - 1:	CALENDAR	(b) use of tarpaulius or other effective covers for haul trucks which travel on public streets;				į
PAGE	P	(c) sweeping of streets adjacent to the project at the end of the day:				

**269**.18

### Table 1 Mitigation Monitoring Program WEST SACRAMENTO RIVERFRONT PARK IMPROVEMENTS PROJECT

	Monitoring Duration		Monitoring Duration			Respoi	ısibility
Impact	Mitigation	One-time	Ongoing	Agency	Verification		
H QUÁLÍTY							
•	(d) scheduling clearing, grading, and earthmoving activities during periods of low wind speeds and restrict those construction activities during high wind conditions with wind speeds greater than 20 mph average during an hour; and						
	(e) controlling construction and site vehicle speed to 15 mph on unpaved roads						
.6-2 Development would increase NO <sub>x</sub> , RO3, SO <sub>x</sub> and CO emissions as a result of construction-related activities.	4.6-2 The project proponents shall be responsible for ensuring that contractors reduce $NO_{x_0}$ ROC, and CO emissions by complying with the construction vehicle air pollutant control strategies developed by the Yolo-Solano $\Delta PCD$ . Construction contracts shall include the following requirements:	Include in all construction contracts		City Engineering Division	Date/Initial:		
	(a) Construction equipment operators shall shut off equipment when not in use to avoid unnecessary idling. As a general rule, vehicle idling should be kept below 10 minutes.						
	(b) Construction equipment shall be properly maintained and in good operating condition.						
	(c) Contractors shall utifize new technologies to control ozone precursor emissions as they become available and feasible.						
<u>ultural resources</u>				. <b> </b>			
20-3 Development could result in damage to or destruction of subsurface historic and prehistoric artifacts and/or sites.	4 20-3(a) In the event that my historic surface or subsurface archaeological features or deposits, including locally darkened soil ("midden"), that could conceal cultural deposits, mimal bone, shell, obsidian, mortars, or human remains, me uncovered during construction, work within 100 feet of the find shall cease and a qualified archaeologist shall be contacted to determine if		Throughout construction	City Engineering Division	Date/Initial:		
CALEND	the resource is significant—If the find is determined to be of significance, resources such as grinding stones and mano fingments shall be donated to an appropriate cultural center.			City Planning Division			

## Ta

## Mitigation Monitoring Program WEST SACRAMENTO RIVERFRONT PARK IMPROVEMENTS PROJECT

		Monitorin	g Duration	Responsibility	
Impact	Miligation	One-time	Ongoing	Agency	Verification
Cultural resources					
	4.20-3(b) When Native American archaeological, ethnographic, or spiritual resources are involved, all identification and trealment shall be conducted by qualified archaeologists who are either certified by the Society of Professional Archaeologists (SOPA) or who meet the federal standards as stated in the Code of Federal Regulations (36 C.F.R. 61), and Native American representatives who are approved by the local Native American community as scholars of their cultural traditions. In the event that no such Native American is available, persons who represent tribal governments and/or organizations in the locale in which resources could be affected shall be consulted. When historic architectural features are involved, all identification and treatment is to be carried out by historical methoeologists or architectural historians. These individuals shall meet either SOPA or 36 C.F.R. 61 requirements.		,		
	4.20-3(c) If human bone or bone of unknown origin is found during construction, all work shall stop in the vicinity of the find and the County Coroner shall be contacted immediately. If the remains are determined to be Native American, the Coroner shall notify the Native American Heritage Commission who shall notify the person it believes to be the most likely descendant. The most likely descendant shall work with the contractor to develop a program for reinterment of the human remains and any associated artifacts. No additional work is to take place within the immediate vicinity of the find until the identified appropriate actions have been carried out.				
irainage and flooding				rio de la compansión de l La compansión de la compa	
Cote tint effect of proposed of the hydraulic street of the flood control system suncerto River).  PAGE PAGE 269	The City of West Sacramento shall submit an encroachment permit application to the (State) Reclamation Hoard, including project analyses, drawings, plans, and specifications for the proposed project. Project information shall also be submitted to Reclamation District 900 and DWR Maintenance Area 4 to obtain the endorsement of the (levee) maintenance agencies. The information submitted shall include an analysis of the hydraulic effects of proposed vegetation on hydraulic capacity of the flood control system. The project shall be designed to meet the Regulations of the Reclamation Board for Encroachments into Adopted Plans of Flood Control, except where minor variances are reviewed and approved by the Reclamation Board and maintenance agencies. The City of West Sacramento shall supply project information, as required, to the Corps of Engineers for its use in reviewing potential impacts of the project on flood control	Prior to issuance of a permit from the Recluma- tion Board and City building permit		City Engineering Division	Date/Initial:
8 69	facilities and in assisting the Reclamation Board in review of the encroachment permit application.				

## Table f

## Mitigation Monitoring Program WEST SACRAMENTO RIVERFRONT PARK IMPROVEMENTS PROJECT

			Monitoring Duration		Respo	msibility
	lmpact	Mitigation	One-time	Ongoing	Аденсу	Verification
ART	I KESOURCES					
1.18-3	Development would include grading and construction activities that could potentially encounter groundwater.	4 18-3(b) If dewatering of a construction site is required, subdrains, reinforced concrete retaining walls and waterproofing methods shall be utilized as necessary to eliminate the effects of subsurface groundwater conditions. The subdrain plan shall form part of the final plans for the project and would be prepared with the recommendations of a Certified Engineering Geologist.	Prior to start of grading/ construction		City Engineering Division	Date/Initial:
		4.18-3(c) Dewatering shall comply with applicable requirements established by the Central Valley Regional Water Quality Control Board (including any runoff control requirements) and any applicable local permit requirements and shall be coordinated with City Public Works.				
		4.18-3(d) Moisture barriers around foundations shall be used where applicable, to prevent moisture changes from adversely affecting soils beneath a structure.				
		4.18-3(e) Where required due to high groundwater, excavations shall be shored as required by the Office of Safety and Health Administration (OSHA) to preclude slope failures during the construction period. Shoring shall use standard stabilizing methods, such as tiebacks, as necessary to retain excavation areas.				
OISE						
.7-1	Development would cause temporary increases in construction noise levels on and around the project site.	4.7-1(a) To minimize the noise impacts of nearby residents during noise-sensitive periods, construction within 500 feet of existing residences shall be fimited to between the hours of 7.00 A.M. and 7.00 P.M. on weekdays and 8.00 A.M. to 5.00 P.M. on weekends. For construction areas less than 1,600 feet from existing residences, work may only occur outside the designated hours by special permit from the City of West Sacramento stating the compelling environmental reasons for construction during those hours.	Include in all construction contracts prior to start of construction.		City Engineering Division	Date/Initial:
TE PAGE	NDAR PAGE	4.7-1(b) Construction equipment shall be properly outfitted and maintained with noise reduction devices to minimize construction-generated noise. Wherever possible, noise-generating construction equipment shall be shielded from nearby residences by noise-attenuating buffers such as structures or truck. Alternatively, the equipment could be placed into a pit.				•
		4.7-1(c) The contractor shall locate stationary noise sources as far away as feasible from noise sensitive land uses.		li:		
O	26					

Mitigation Monitoring Program

WEST SACRAMENTO RIVERFRONT PARK IMPROVEMENTS PROJECT

		Monitorin	g Duration	Respon	sibility
Impact	Miligation	One-time	Ongoing	Agency	Verification
NOISE					
4. Potential noise effects on nearby residents due to public events that may be held in the riverfront park/plaza areas.	4 (a) The City shall not allow events with amplified sound to be held at the Grand Staircase between the hours of 10 p.m. and 7 a.m.  4 (b) Exterior sound levels measured at any affected residential property shall not exceed 75 dBA for a cumulative period of 30 minutes per hour.	Planning Dept. to review cach special event permit		City Planning Division	Date/Initial:
TRANSPORTATION/TRAFFIC					L <u>a cista i segoti e de la c</u>
4.5-36 Potential safety finzand to pedestrians at I Street bridge milroad tracks.	If development occurs adjacent to operating railroad lines, the individual developments shall install protective feacing adjacent to the railroad right of way to prevent pedestrian crossings of railroad tracks at points other than public street grade crossings.	Prior to issuance of grading/con struction permit		City Engineering Division	Date/Initinl
WATER QUALITY				ayan masa kalin salah	2
4.14-1 Potential for degradation of surface water quality due to construction.	The City of West Sacramento shall ensure that all construction contracts subject to the NPDES requirements (i.e. involving disturbance of 5 acres or more) contain a requirement that contractors file a Notice of Intent for coverage under the City's State General Construction Activity Stormwater Permit (No. CA5000002), or any other applicable permit requirements.	Prior to issuance of grading/con struction permit		City Engineering Division	Date/Initial:

EXTERRYR\RIVERPAR\MMPTABLE.DOC

HINUTE	CALENDAR
ַלַק קַּק	₹
PAGE	PAGE
003514	<b>269</b> .22